SEMINOLE COUNTY
GEODETIC CONTROL POINTS

SEPTEMBER 2006

SEMINOLE COUNTY
FLORIDA'S NATURAL CHOICE

PREPARED BY THE:
SURVEY SECTION
ENGINEERING DIVISION
DEPARTMENT OF PUBLIC WORKS
520 W. LAKE MARY BOULEVARD, SUITE 200
SANFORD, FLORIDA 32773
(407) 665-5719

GEODETIC CONTROL POINTS

SEPTEMBER 2006

This information is provided as a service to assist surveyors in Seminole County. Please help us keep this data as accurate as possible. In the event you find a Geodetic control point disturbed or destroyed, please notify the Seminole County Survey Office at (407) 665-5719.

Steve L. Wessels, P.L.S.
County Surveyor

Special thanks to the following Seminole County Survey Section staff members for their efforts in the preparation of this document.

Mark Bishop	Jade Long	
Keith Brown, P.S.M.	Gary Leise, P.L.S.	Ronnie Rogers
Robert Copeland	Danny Martin	James Weston
Susan Fox	Joe Priest	

GEODETIC CONTROL POINTS

SEPTEMBER 2006

- Horizontal values presented on these sketches are referenced to the State Plane Coordinate system, Florida East Zone, N.A.D. 1983 (Adjustment of 1990).

- Elevations shown herein are based on N.A.V.D. 88.

- Data shown herein meets or exceeds Third order, class II horizontal control network standards as set forth in the Standards and Specifications for Geodetic Control Networks by the Federal Geodetic Control Committee.

- Seminole County assumes no liability for the use of our Geodetic Control Network.

TABLE OF CONTENTS

SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0100/LONZO

DESIGNATION NUMBER: 408090100

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1613769.718

COORDINATES EAST: 534162.121

NAVD 88 ELEV: 64.568

SECTION 2 , TOWNSHIP 20 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:46'21.05490" N

LONGITUDE: 81:22'51.00587" W

SCALE FACTOR: 0.999958236

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0100 / LONZO 408 19 01

DESCRIPTION: C.M. IS 25'± W. OF MARKHAM WOODS RD. 200'± S. OF WIMBLEDON DR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0101/STEVE WESSELS

DESIGNATION NUMBER: 408090101

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1611967.951

COORDINATES EAST: 534223.218

NAVD 88 ELEV : 56.271

SECTION 11 , TOWNSHIP 20 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:46'03.21795" N

LONGITUDE: 81:22'50.25458" W

SCALE FACTOR: 0.999958219

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT:4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0101/STEVE WESSELS 408 21 01

DESCRIPTION: C.M. IS 8' E. OF E. E/P OF MARKHAM WOODS RD., 500'± S. OF GREEN TREE LANE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0102

SECTION 35 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 408050102

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: MAY 1994

ZONE: FLORIDA EAST

LATITUDE: 28:47'59.16521" N

COORDINATES NORTH: 1623603.188

LONGITUDE: 81:17'52.37411" W

COORDINATES EAST: 560762.041

SCALE FACTOR: 0.999951608

NAVD 88 ELEV: 30.440

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: P.K. NAIL AND SEM. CO. DISK STAMPED G.P.S. 0102 & 258-41-01

DESCRIPTION: P.K. NAIL AND DISK SET IN N.W. COR. OF CONC. DRIVEWAY 25'± E. OF C/L AIRPORT BLVD., 89'± S. OF BOB THOMAS CIR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0103

DESIGNATION NUMBER: 408050103

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1622178.888

COORDINATES EAST: 560713.874

NAVD 88 ELEV: 30.541

SECTION 34 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:47'45.06228" N

LONGITUDE: 81:17'52.87540" W

SCALE FACTOR: 0.999951618

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: P.K. NAIL AND SEM. CO. DISK STAMPED G.P.S. 258-42-01

DESCRIPTION: P.K. NAIL AND DISK SET IN S.W. COR. OF DROP INLET 23'± W. OF AIRPORT BLVD., 47'± S. OF TRUMAN BLVD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0104/JOE P

DESIGNATION NUMBER: 408130104

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1619748.137

COORDINATES EAST: 564064.195

NAVD 88 ELEV: 37.034

SECTION 35 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:47'21.07747" N

LONGITUDE: 81:17'15.15264" W

SCALE FACTOR: 0.999950898

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0104 / JOE P. 409 17 01

DESCRIPTION: C.M. IS 110'± N. OF C/L COUNTRY CULB RD. AND 20'± W. OF C/L OF COUNTRY CULB CIR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0105

DESIGNATION NUMBER: 408070105

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1614542.252

COORDINATES EAST: 545056.083

NAVD 88 ELEV: 53.787

SECTION 5 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:46'29.03328" N

LONGITUDE: 81:20'48.61401" W

SCALE FACTOR: 0.999955325

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH P.K. NAIL AND DISK STAMPED SEM. CO. G.P.S. 333-34-01

DESCRIPTION: C.M. IS 132'± E. OF C/L OF RINEHART RD. 0.75 MI. S. OF C.R. 46-A.
SIGN IS 9.3' EAST OF C.M.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0106 RESET

DESIGNATION NUMBER: 408080106

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1612129.476

COORDINATES EAST: 544955.291

NAVD 88 ELEV. 70.846

SECTION 5 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 2006

LATITUDE: 28:46'05.14194" N

LONGITUDE: 81:20'49.66758" W

SCALE FACTOR: 0.999955351

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 106, RESET

DESCRIPTION: C.M. IS IN C/L OF GRASS MEDIAN RINEHART RD. AND 270'± N. OF N. ENTRANCE OF MANDERLY RUN.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0108 / MORRIS

DESIGNATION NUMBER: 408060108

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1613894.396

COORDINATES EAST: 558808.265

NAVD 88 ELEV: 51.336

SECTION 3 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:46'22.99117" N

LONGITUDE: 81:18'14.05610" W

SCALE FACTOR: 0.999952040

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0108 / MORRIS 408 18 01

DESCRIPTION: C.M. IS 0.70 MI. S. OF INT. OF AIRPORT BLVD. AND OLD LAKE MARY RD., 37.5' E. OF C/L OF OLD LAKE MARY BLVD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0110

DESIGNATION NUMBER: 408060110

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1613136.977

COORDINATES EAST: 558087.993

NAVD 88 ELEV: 62.972

SECTION 3 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:46'15.47380" N

LONGITUDE: 81:18'22.12811" W

SCALE FACTOR: 0.999952201

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. (SEM CO. B.M.) STAMPED G.P.S. 3040901

DESCRIPTION: C.M. IS 0.9 MILES S. OF INT. OF AIRPORT BLVD. AND OLD LAKE MARY RD., 30'± W. OF C/L OF OLD LAKE MARY RD. 300'± N. OF R.R. MARKER #772.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0111/SPOON

DESIGNATION NUMBER: 4081001141

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1603906.977

COORDINATES EAST: 545022.381

NAVD 88 ELEV: 60.744

SECTION 18 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:44'43.73430" N

LONGITUDE: 81:20'48.64463" W

SCALE FACTOR: 0.999955334

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0111 / SPOON. 408 48 01

DESCRIPTION: C.M. IS 500'± E. OF BUTTON WOOD DR. 20'± S. OF GREENWOOD BLVD. AT POWER LINE EASEMENT

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0112 / SALLY

DESIGNATION NUMBER: 408100112

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1599888.860

COORDINATES EAST: 545088.847

NAVD 88 ELEV. 46.060

SECTION 20 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:44'03.95342" N

LONGITUDE: 81:20'47.76663" W

SCALE FACTOR: 0.999955317

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0112 / SALLY 408 51 01

DESCRIPTION: C.M. IS 40'± N. OF GREENWAY BLVD. AT POWER LINE EASEMENT 200'± E. OF QUEENS BRIDGE DRIVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0113 / DAN MARTIN

DESIGNATION NUMBER: 408120113

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1602785.900

COORDINATES EAST: 560329.282

NAVD 88 ELEV: 53.428

SECTION 15 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:44'33.04547" N

LONGITUDE: 81:17'56.65053" W

SCALE FACTOR: 0.999951703

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0113/DAN MARTIN 408 75 01

DESCRIPTION: C.M. IS AT N.W. COR. OF INT. OF COUNTY HOME RD. AND U.S. 17–92, 107'± W. OF E/P OF U.S. 17–92 AND 56'± N. OF JUNIOR COLLEGE RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0117/ M. BISHOP RESET

DESIGNATION NUMBER: 408120117

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1601815.731

COORDINATES EAST: 561070.711

NAVD 88 ELEV: 45.350

SECTION 23 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 2006

LATITUDE: 28°44'23.45827"W

LONGITUDE: 81°17'48.29416"W

SCALE FACTOR: 0.999951541

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH AND BRASS DISK STAMPED RESET G.P.S. 0117/ M. BISHOP.

DESCRIPTION: C.M. IS 18'± S. OF S. E/P OF C.R. 427 AND 17.5' E. OF EXTENDED NORTHERLY E/P OF COUNTY HOME RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0118 / CAR LOT

DESIGNATION NUMBER: 408110118

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1596918.407

COORDINATES EAST: 555499.179

NAVD 88 ELEV: 26.506

SECTION 28 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:43'34.82897" N

LONGITUDE: 81:18'50.73820" W

SCALE FACTOR: 0.999952791

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0118 / CAR LOT 409 12 01

DESCRIPTION: C.M. IS CENTER OF GRASS MEDIAN OF U.S. 17–92, 2370' N. OF GENERAL HUTCHISON PKWY. 240'± S. OF MEDIAN CUT OUT AT S. ENT. TO TOYOTALAND DEALERSHIP.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0119 / SOLDIERS CREEK

DESIGNATION NUMBER: 408110119

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1595308.979

COORDINATES EAST: 554119.173

NAVD 88 ELEV: 20.085

SECTION 28 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:43'18.85792" N

LONGITUDE: 81:19'06.19051" W

SCALE FACTOR: 0.999953111

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0119 / SOLDIERS CREEK 409 14 01.

DESCRIPTION: C.M. IS IN CENTER OF GRASS MEDIAN OF U.S. 17–92 AT N. SIDE OF SOLDIERS CREEK, 250'± N. GENERAL HUTCHISON PKWY.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0120 / MIKE GARCIA

DESIGNATION NUMBER: 408080120

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1592114.808

COORDINATES EAST: 537013.071

NAVD 88 ELEV. 86.537

SECTION 25 , TOWNSHIP 20 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:42'46.74269" N

LONGITUDE: 81:22'18.21016" W

SCALE FACTOR: 0.999957448

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMED G.P.S. 0120 / MIKE GARCIA 408 60 01

DESCRIPTION: C.M. IS LOCATED AT THE N.E. COR. OF E.E. WILLIAMSON AND WOODLANDS ELEM. SCHOOL DRIVE 27'± N. OF EE WILLIAMSON RD. AT THE EDGE OF WALK.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0121 / BANK

DESIGNATION NUMBER: 408040121

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1589108.809

COORDINATES EAST: 551340.817

NAVD 88 ELEV: 72.749

SECTION 33 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:42'17.39611" N

LONGITUDE: 81:19'37.20546" W

SCALE FACTOR: 0.999953770

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0121 / BANK 408 29 01

DESCRIPTION: C.M. IS 250'± N. OF ORANGE AVE. 50'± W. OF E/P OF S.R. 17–92, 40'± S. AND 13'± E. OF N.E. COR. OF PARKING AREA OF ORLANDO NATIONAL BANK @ S.R. 17–92 AND ORANGE AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0122 / SUE FOX

DESIGNATION NUMBER: 408030122

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1584474.986

COORDINATES EAST: 591443.222

NAVD 88 ELEV: 20.367

SECTION 3 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:41'32.39667" N

LONGITUDE: 81:12'06.76615" W

SCALE FACTOR: 0.999945978

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0122/ SUE FOX 408 43 01

DESCRIPTION: C.M. IS 30'± N. FLORIDA AVE. AND 400'± W. OF LAKE CHARM DR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0123 / POST

DESIGNATION NUMBER: 408020123

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1563697.517

COORDINATES EAST: 614482.409

NAVD 88 ELEV: 53.360

SECTION 29 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28: 38'06.99359" N

LONGITUDE: 81: 07'47.81078" W

SCALE FACTOR: 0.999943168

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0123 / POST 408 35 01

DESCRIPTION: C.M. IS AT THE S.W. COR. OF INT. OF C.R. 419 & 11 TH. ST., 50'± W. OF C.R. 419 AND 30'± S. OF 11th ST.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0124 / JANDULA

DESIGNATION NUMBER: 408150124

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1592874.361

COORDINATES EAST: 544480.703

NAVD 88 ELEV: 70.017

SECTION 30 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:42'54.48618" N

LONGITUDE: 81:20'54.36767" W

SCALE FACTOR: 0.999955472

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0124 / JANDULA. 409 07 01

DESCRIPTION: C.M. IS 30'± E. OF C/L OF LAZY ACRES LANE, 80'± N. OF LONGWOOD HILLS RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0125 / COPELAND

DESIGNATION NUMBER: 408150125

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1593765.359

COORDINATES EAST: 544445.978

NAVD 88 ELEV: 59.490

SECTION 30 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:43'03.30684" N

LONGITUDE: 81:20'54.78692" W

SCALE FACTOR: 0.999955481

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH CONC. COLLAR AND BRASS DISK STAMPED G.P.S. 0125 / COPELAND. 409 06 01

DESCRIPTION: C.M. IS 1000'± N. OF LONGWOOD HILLS RD. AND 15'± W. OF C/L OF LAZY ACERS LANE IN FRONT OF RESIDENCE # 229.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0129

DESIGNATION NUMBER: 409330129

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1571070.262

COORDINATES EAST: 584830.626

NAVD 88 ELEV: 29.541

SECTION 16 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:39'19.55929" N

LONGITUDE: 81:13'20.73680" W

SCALE FACTOR: 0.999947009

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH F.D.O.T. DISK STAMPED 77/92/A/10

DESCRIPTION: C.M. IS 500'± E. OF EYRIE DR. AND 62' N. OF C/L OF MITCHELL HAMMOCK RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0130

DESIGNATION NUMBER: 409360130

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1571109.032

COORDINATES EAST: 587242.428

NAVD 88 ELEV: 30.716

SECTION 16 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:39'19.98686" N

LONGITUDE: 81:12'53.66562" W

SCALE FACTOR: 0.999946621

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH F.D.O.T. DISK STAMPED 77/92/A/11

DESCRIPTION: C.M. IS AT N.W. COR. OF NORMA AVE. AND MITCHELL HAMMOCK RD., 75' N. OF C/L OF MITCHELL HAMMOCK RD., 77' W. OF C/L OF NORMA AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0131 / LOCK

DESIGNATION NUMBER: 409540131

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1572435.762

COORDINATES EAST: 598867.732

NAVD 88 ELEV: 51.207

SECTION 14 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:39'33.31253" N

LONGITUDE: 81:10'43.19593" W

SCALE FACTOR: 0.999944939

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0131 / LOCK

DESCRIPTION: C.M. IS 50'± S. OF C.R. 419 AND 60'± W. OF LOCKWOOD RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0132/FIRST-RESET

DESIGNATION NUMBER: 426190132

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1627954.481

COORDINATES EAST: 568620.813

NAVD 88 ELEV. 17.402

SECTION 25 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 2006

LATITUDE: 28°48'42.43347"N

LONGITUDE: 81°16'24.15268"W

SCALE FACTOR: 0.999949960

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0132 / FIRST RESET

DESCRIPTION: C.M. IS 35'± N. OF THE C/L S.R. 46 (1st ST.) BETWEEN BACK OF CURB AND SIDEWALK.

SKETCH:

SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0133 / CHAMBER

DESIGNATION NUMBER: 426130133

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1627964.475

COORDINATES EAST: 571373.266

NAVD 88 ELEV. 10.871

SECTION 25 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:48'42.59410" N

LONGITUDE: 81:15'53.21131" W

SCALE FACTOR: 0.999949417

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0133 / CHAMBER

DESCRIPTION: C.M. IS AT N.E. COR. OF INT. OF SANFORD AVE. AND 1st ST., 33' N. OF 1st ST. AND 61'± E. OF SANFORD AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0134 / RACHEL

DESIGNATION NUMBER: 426180134

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1618776.408

COORDINATES EAST: 571291.219

NAVD 88 ELEV: 44.950

SECTION 1 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:47'11.62267" N

LONGITUDE: 81:15'53.90353" W

SCALE FACTOR: 0.999949433

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0134 / RACHEL

DESCRIPTION: C.M. IS AT S.W. COR. OF INT. OF SANFORD AVE. AND 25th ST.,60'± W. OF C/L OF SANFORD AVE. AND 8.5' S. E/P OF 25th ST. (S.R. 46)

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0135 / MELLON

DESIGNATION NUMBER: 426180135

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1618868.086

COORDINATES EAST: 574153.989

NAVD 88 ELEV: 39.267

SECTION 31 , TOWNSHIP 19 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28: 47'12.59242" N

LONGITUDE: 81: 15'21.73174" W

SCALE FACTOR: 0.999948885

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0135 / MELLON

DESCRIPTION: C.M. IS AT N.E. COR. OF INT. OF S.R. 46 AND MELLONVILLE AVE.,50'± E. OF MELLONVILLE AVE. AND 35'± N. OF 25th ST. (S.R. 46)

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0136 / URIAH HEAP

DESIGNATION NUMBER: 409800136

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1600488.173

COORDINATES EAST: 571472.046

NAVD 88 ELEV: 15.712

SECTION 19 , TOWNSHIP 20 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:44'10.55665" N

LONGITUDE: 81:15'51.41508" W

SCALE FACTOR: 0.999949397

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0136 / URIAH HEEP

DESCRIPTION: C.M. IS 530'± N. OF MYRTLE ST. AND 8'± E. OF E. E/P OF SANFORD AVE. AT RESIDENCE #5155

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0137 / FRANK ZAPPA

DESIGNATION NUMBER: 409800137

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1604546.761

COORDINATES EAST: 571415.669

NAVD 88 ELEV: 22.771

SECTION 13 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:44'50.73921" N

LONGITUDE: 81:15'52.14959" W

SCALE FACTOR: 0.999949408

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0137 / FRANK ZAPPA

DESCRIPTION: C.M. IS 6.8' W. OF SANFORD AVE. AND 50'± S. OF S.R. 417 OVERPASS.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0138 / KENTUCKY

DESIGNATION NUMBER: 409470138

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1607968.495

COORDINATES EAST: 584853.928

NAVD 88 ELEV: 20.183

SECTION 9 , TOWNSHIP 20 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:45'24.88958" N

LONGITUDE: 81:13'21.24803" W

SCALE FACTOR: 0.999947005

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0138 / KENTUCKY

DESCRIPTION: C.M. IS 60'± S. OF KENTUCKY ST. AT S.W. COR. OF BEARDALL AND KENTUCKY, 6.3' W. OF KENTUCKY ST.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0139

DESIGNATION NUMBER: 409470139

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1608013.335

COORDINATES EAST: 587516.058

NAVD 88 ELEV: 7.440

SECTION 9 , TOWNSHIP 20 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:45'25.38188" N

LONGITUDE: 81:12'51.33823" W

SCALE FACTOR: 0.999946578

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF CORNER: 4 X 4 CONC. MON. WITH AMMO CASING IN CENTER OF C.M.

DESCRIPTION: C.M. IS S.E. COR. OF KENTUCKY ST. AND CAMERON AVE., 1' E. OF E. E/P.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0140 / WHISKEY

DESIGNATION NUMBER: 409490140

DATUM: NAD 83 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1618776.742

COORDINATES EAST: 584877.096

NAVD 88 ELEV: 23.906

SECTION 4 , TOWNSHIP 20 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:47'11.90156" N

LONGITUDE: 81:13'21.21476" W

SCALE FACTOR: 0.999947001

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0140 / WHISKEY

DESCRIPTION: C.M. IS S.E. COR. OF S.R. 46 AND BEARDALL AVE., 32' E. OF E. E/P OF BEARDALL AND 33' S. OF S. E/P OF S.R. 46.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0141 / CAM

DESIGNATION NUMBER: 409490141

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1618883.159

COORDINATES EAST: 587506.508

NAVD 88 ELEV: 16.134

SECTION 33 , TOWNSHIP 19 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:47'13.00298" N

LONGITUDE: 81:12'51.66545" W

SCALE FACTOR: 0.999946579

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0141 / CAM

DESCRIPTION: C.M. IS 25.3' N. OF N. E/P OF S.R. 46 AND 13'± E. OF PROJECTED C/L OF CAMERON AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0142 / KAT

DESIGNATION NUMBER: 409490142

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1624124.646

COORDINATES EAST: 584752.152

NAVD 88 ELEV: 14.644

SECTION 33 , TOWNSHIP 19 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:48'04.84822" N

LONGITUDE: 81:13'22.73165" W

SCALE FACTOR: 0.999947021

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0142 / KAT

DESCRIPTION: C.M. IS 50'± W. OF BEARDALL AVE. AND 22'± S. OF CELLERY AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0144 / LOW

DESIGNATION NUMBER: 409500144

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1618895.827

COORDINATES EAST: 594109.542

NAVD 88 ELEV: 6.939

SECTION 35 , TOWNSHIP 19 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28: 47'13.24052" N

LONGITUDE: 81: 11'37.45514" W

SCALE FACTOR: 0.999945590

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0144 / LOW

DESCRIPTION: C.M. IS 3100'± W. OF OLD GENEVA RD. 25.1' N. OF N. E/P OF S.R. 46 AND 90' SE. OF UTILITY POLE # 58F1.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0145 / RON ROGERS

DESIGNATION NUMBER: 409500145

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1618880.558

COORDINATES EAST: 597245.351

NAVD 88 ELEV: 9.510

SECTION 35 , TOWNSHIP 19 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:47'13.13862" N

LONGITUDE: 81:11'02.21191" W

SCALE FACTOR: 0.999945155

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0145 / RON ROGERS

DESCRIPTION: C.M. IS N. 35'±OF S.R. 46 AT THE ENTRANCE TO CAMERON WIGHT PARK.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0146 / KEITH B

DESIGNATION NUMBER: 409500146

DATUM: NAD 83

ZONE: FLORIDA EAST

COORDINATES NORTH: 1619004.859

COORDINATES EAST: 608437.860

NAVD 88 ELEV: 11.125

SECTION 5 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:47'14.52437" N

LONGITUDE: 81:08'56.42235" W

SCALE FACTOR: 0.999943787

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0146 / KEITH B

DESCRIPTION: C.M. IS 46'± N. OF MULLET LAKE PARK RD., AT ESTES DR. AND MULLET LAKE PARK DR. AND 1' N. OF SURVEY SIGN POST.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0147 / PERCH

DESIGNATION NUMBER: 409450147

DATUM: NAD 83

ZONE: FLORIDA EAST

COORDINATES NORTH: 1616046.111

COORDINATES EAST: 608472.792

NAVD 88 ELEV: 14.984

SECTION 5 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:46'45.23042" N

LONGITUDE: 81:08'55.98815" W

SCALE FACTOR: 0.999943783

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0147 / PERCH

DESCRIPTION: C.M. IS 5' E. OF E. E/P OF MULLET LAKE PARK RD. AND 300'± S. OF PERCH RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0148 / GROVE

DESIGNATION NUMBER: 409520148

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1608367.505

COORDINATES EAST: 610398.373

NAVD 88 ELEV: 22.903

SECTION 17 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:45'29.22818" N

LONGITUDE: 81:08'34.24480" W

SCALE FACTOR: 0.999943577

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0148 / GROVE

DESCRIPTION: C.M. IS 14' S. OF S. E/P AND 210'± E. OF DIRT DRIVE OF RESIDENCE #2000.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0149 / MULLET

DESIGNATION NUMBER: 409520149

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1610333.773

COORDINATES EAST: 608471.480

NAVD 88 ELEV: 16.454

SECTION 8 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:45'48.67278" N

LONGITUDE: 81:08'55.92261" W

SCALE FACTOR: 0.999943784

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0149 / MULLET

DESCRIPTION: C.M. IS 0.2± MILES E. OF MULLET LAKE PARK RD. AND 13' S. OF S. E/P OF S.R. 46.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0150 / TRIPP

DESIGNATION NUMBER: 409530150

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1603151.544

COORDINATES EAST: 624542.028

NAVD 88 ELEV: 31.180

SECTION 15 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:44'37.72693" N

LONGITUDE: 81:05'55.28077" W

SCALE FACTOR: 0.999942323

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0150 / TRIPP

DESCRIPTION: C.M. IS N. SIDE OF INT. OF TRIPP RD. AND LAKE HARNEY RD., 10' N. OF N. E/P.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0151 / WINONA

DESIGNATION NUMBER: 409530151

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1603168.075

COORDINATES EAST: 627149.946

NAVD 88 ELEV: 13.493

SECTION 23 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:44'37.91111" N

LONGITUDE: 81:05'25.98280" W

SCALE FACTOR: 0.999942141

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0151 / WINONA

DESCRIPTION: C.M. IS 14.3' S. OF INT. OF LAKE HARNEY RD. AND WINONA DR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0152 / CEMETERY

DESIGNATION NUMBER: 409560152

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1600336.987

COORDINATES EAST: 619278.158

NAVD 88 ELEV: 66.472

SECTION 22 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:44'09.81319" N

LONGITUDE: 81:06'54.38605" W

SCALE FACTOR: 0.999942736

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0152 / CEMETERY

DESCRIPTION: C.M. IS 27.7' E. OF FIRST ST. AND 49.8' S. OF CEMETERY RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0153 / HANK WILLIAMS

DESIGNATION NUMBER: 409560153

DATUM: NAD 83 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1597716.673

COORDINATES EAST: 619271.819

NAVD 88 ELEV: 54.619

SECTION 21 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28: 43'43.86932" N

LONGITUDE: 81: 06'54.42883" W

SCALE FACTOR: 0.999942737

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0153 / HANK WILLIAMS

DESCRIPTION: C.M. IS 0.3± MILES S. OF S.R. 46 AND 20.6' W. OF THE C/L S.R. 426, AT RESIDENCE #4278.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0154 / JAMES BROWN

DESIGNATION NUMBER: 409570154

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1587606.485

COORDINATES EAST: 619452.351

NAVD 88 ELEV: 37.627

SECTION 34 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:42'03.76952" N

LONGITUDE: 81:06'52.29190" W

SCALE FACTOR: 0.999942721

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0154 / JAMES BROWN

DESCRIPTION: C.M. IS 1.3 MI.± S. OF C.R. 426 AND 20.3' E. OF C/L OF SNOWHILL RD. AT RESIDENCE #837.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0155 / TREE RAT

DESIGNATION NUMBER: 409580155

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1603027.482

COORDINATES EAST: 609984.826

NAVD 88 ELEV: 47.447

SECTION 20 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:44'36.35173" N

LONGITUDE: 81:08'38.81875" W

SCALE FACTOR: 0.999943621

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0155 / TREE RAT

DESCRIPTION: C.M. IS 500'± S. OF SQUIRREL RUN AND 25'± E. COCHRAN RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0156 / SNAKE

DESIGNATION NUMBER: 409580156

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1600267.240

COORDINATES EAST: 609980.461

NAVD 88 ELEV: 47.830

SECTION 20 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:44'09.02250" N

LONGITUDE: 81:08'38.83028" W

SCALE FACTOR: 0.999943621

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0156 / SNAKE

DESCRIPTION: C.M. IS IN S.W. COR. OF COCHRAN RD. AND WILDWOOD TR., 1'± DEEP IN ASPHALT RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0157 / JANE

DESIGNATION NUMBER: 409590157

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1592653.330

COORDINATES EAST: 629972.159

NAVD 88 ELEV: 14.320

SECTION 35 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:42'53.82437" N

LONGITUDE: 81:04'54.19623" W

SCALE FACTOR: 0.999941963

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0157 / JANE

DESCRIPTION: C.M. IS S.E. COR. OF INT. OF OLD MIMMS RD. AND JUNGLE RD. 2' S. OF OLD MIMMS RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0158 / TARZAN

DESIGNATION NUMBER: 409590158

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1595318.212

COORDINATES EAST: 629882.063

NAVD 88 ELEV: 16.191

SECTION 26 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28: 43'20.20891" N

LONGITUDE: 81: 04'55.22871" W

SCALE FACTOR: 0.999941968

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0158 / TARZAN

DESCRIPTION: C.M. IS 350'± N. OF S.R. 46 AND 20'± W. OF JUNGLE RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0159 / ALLAN JACKSON

DESIGNATION NUMBER: 409510159

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1610882.127

COORDINATES EAST: 619105.229

NAVD 88 ELEV: 25.759

SECTION 9 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:45'54.21898" N

LONGITUDE: 81:06'56.44367" W

SCALE FACTOR: 0.999942751

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0159 / ALLAN JACKSON

DESCRIPTION: C.M. IS 16.5' W. OF THE C/L OSCEOLA AND 0.1 MI. ± S. OF SHAWNEE TRL.

SKETCH:



△ G.P.S.
GENE

SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0160 / DUMP

DESIGNATION NUMBER: 409440160

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1617757.362

COORDINATES EAST: 631969.060

NAVD 88 ELEV: 16.449

SECTION 1 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:47'02.39280" N

LONGITUDE: 81:04'31.94742" W

SCALE FACTOR: 0.999941848

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0160 / DUMP

DESCRIPTION: C.M. IS 40'± N.E. OF ENTRANCE OF LANDFILL RD., 12.5' N. OF N. E/P OF OSCEOLA RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0161

DESIGNATION NUMBER: 409440161

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1619210.712

COORDINATES EAST: 634187.749

NAVD 88 ELEV. 17.640

SECTION 1 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:47'16.79567" N

LONGITUDE: 81:04'07.02187" W

SCALE FACTOR: 0.999941730

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH SEM. CO. DISK STAMPED B.M. 1926401

DESCRIPTION: C.M. IS ON THE N.E. CORNER OF OSCEOLA RD. AND FISHCAMP RD., 11' N. OF FISHCAMP RD. AND 25' S.E. OF C/L OSCEOLA RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0162 / JIMMY BUFFET RESET

SECTION 10 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

DESIGNATION NUMBER: 900-25

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°40'35.27403"N

COORDINATES NORTH: 1578668.339

LONGITUDE: 81°06'49.92039"W

COORDINATES EAST: 619655.006

SCALE FACTOR: 0.999942704

ELEVATION: 23.052

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0162 / JIMMY BUFFET RESET

DESCRIPTION: C.M. IS ±500' S. OF THE CENTER OF BRIDGE OVER THE ECON RIVER AND 58.5' E. OF THE E. E/P OF SNOWHILL RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0164 / THE WHO

DESIGNATION NUMBER: 406610164

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1568674.667

COORDINATES EAST: 619746.189

NAVD 88 ELEV: 53.630

SECTION 21 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:38'56.32622" N

LONGITUDE: 81:06'48.79001" W

SCALE FACTOR: 0.999942697

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0164 / THE WHO

DESCRIPTION: C.M. IS 0.1 MI.± N. OF BRUMLEY RD. 10' W. OF W. E/P OF SNOWHILL RD., NEAR S.E. CORNER OF RESIDENCE #2700

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0165 / BOB DYLAN

DESIGNATION NUMBER: 409620165

DATUM: NAD 83

ZONE: FLORIDA EAST

COORDINATES NORTH: 1573949.029

COORDINATES EAST: 609104.412

NAVD 88 ELEV: 40.985

SECTION 18 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28: 39'48.43361" N

LONGITUDE: 81: 08'48.30766" W

SCALE FACTOR: 0.999943715

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0165 / BOB DYLAN

DESCRIPTION: C.M. IS 1.6 MI.± N.E. OF C.R. 426 ,20'± N. OF WILLINGHAM RD. NEAR E.1/4 OF SEC. 18–21–32

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0166 / TOTO

DESIGNATION NUMBER: 409620166

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1573909.485

COORDINATES EAST: 606874.817

NAVD 88 ELEV: 41.836

SECTION 18 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28: 39'48.01432" N

LONGITUDE: 81: 09'13.33583" W

SCALE FACTOR: 0.999943961

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0166 / TOTO

DESCRIPTION: C.M. IS 15'± S. OF C/L OF WILLINGHAM RD. AND 1.2 MI.± N.E. OF C.R. 426

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0167 / THE HAG

DESIGNATION NUMBER: 409630167

DATUM: NAD 83

ZONE: FLORIDA EAST

COORDINATES NORTH: 1565887.541

COORDINATES EAST: 593183.559

NAVD 88 ELEV: 66.555

SECTION 22 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:38'28.38953" N

LONGITUDE: 81:11'46.88123" W

SCALE FACTOR: 0.999945723

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0167 / THE HAG

DESCRIPTION: C.M. IS 0.4 MI.± E. OF CITRUS COVE DR. AT END OF CHAPMAN RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0168 / KILLER

DESIGNATION NUMBER: 409630168

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1565873.214

COORDINATES EAST: 591115.465

NAVD 88 ELEV: 72.397

SECTION 22 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:38'28.21349" N

LONGITUDE: 81:12'10.09178" W

SCALE FACTOR: 0.999946026

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0168 / KILLER

DESCRIPTION: C.M. IS 75'± E. OF CITRUS COVE DR. AND 25'± N. OF C/L CHAPMAN RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0169 / AC DC

DESIGNATION NUMBER: 409650169

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1555225.241

COORDINATES EAST: 600122.016

NAVD 88 ELEV: 60.053

SECTION 36 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:36'42.92705" N

LONGITUDE: 81:10'28.83405" W

SCALE FACTOR: 0.999944776

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0169 / AC DC

DESCRIPTION: C.M. IS 47.7' S. OF C/L E McCULLOCH RD. AND 48.1' W. OF C/L OLD LOCKWOOD RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0170 / NAK NAK

DESIGNATION NUMBER: 409650170

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1557949.236

COORDINATES EAST: 600095.930

NAVD 88 ELEV: 57.626

SECTION 36 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:37'09.89742" N

LONGITUDE: 81:10'29.17139" W

SCALE FACTOR: 0.999944780

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0170 / NAK NAK

DESCRIPTION: C.M. IS 19.2' N. OF NAK NAK RUN AND 50'± W. OF OLD LOCKWOOD RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0171 / CROOK

DESIGNATION NUMBER: 426020171

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1556743.321

COORDINATES EAST: 614592.070

NAVD 88 ELEV: 61.735

SECTION 32 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:36'58.14002" N

LONGITUDE: 81:07'46.49552" W

SCALE FACTOR: 0.999943157

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0171 / CROOK

DESCRIPTION: C.M. IS 200'± S.W. OF CROOKED OAK RD. AND 27.3' W. OF C.R. 419

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0172 / BAD COMPANY

DESIGNATION NUMBER: 426020172

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1555386.842

COORDINATES EAST: 614738.971

NAVD 88 ELEV: 61.470

SECTION 32 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:36'44.71083" N

LONGITUDE: 81:07'44.83077" W

SCALE FACTOR: 0.999943143

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. STAMPED G.P.S. 0172 / BAD COMPANY

DESCRIPTION: C.M. IS 35'± S. OF COUNTY LINE AND 50'± W. OF C.R. 419 AND 4' SE. OF SIGN MARKER POST.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0173 / WALSH

DESIGNATION NUMBER: 426030173

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1583342.353

COORDINATES EAST: 606256.926

NAVD 88 ELEV: 26.106

SECTION 6 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:41'21.40211" N

LONGITUDE: 81:09'20.41013" W

SCALE FACTOR: 0.999944031

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0173 / WALSH

DESCRIPTION: C.M. IS 43.2' S.W. OF WALSH ST. AND 22' N. OF E/P OF C.R. 426

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0175 / BARR

DESIGNATION NUMBER: 426030175

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1582600.229

COORDINATES EAST: 604921.669

NAVD 88 ELEV: 23.496

SECTION 6 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28: 41'14.03681" N

LONGITUDE: 81: 09'35.39182" W

SCALE FACTOR: 0.999944186

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0175 / BARR

DESCRIPTION: C.M. IS 80'± W. OF BARR ST. AND 22.3' S. OF E/P OF C.R. 426.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0176 / BUG RESET

DESIGNATION NUMBER: 409430176

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1570712.869

COORDINATES EAST: 578349.577

NAVD 88 ELEV: 43.446

SECTION 20 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:39'15.89583" N

LONGITUDE: 81:14'33.47699" W

SCALE FACTOR: 0.999948117

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0176 / BUG RESET

DESCRIPTION: C.M. IS 250'± N.E. OF HOLLOW PINE DR. IN CENTER OF GRASS MEDIAN OF RED BUG LAKE RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0177 / RED

DESIGNATION NUMBER: 409430177

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1569075.184

COORDINATES EAST: 578078.368

NAVD 88 ELEV: 38.125

SECTION 20 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:38'59.67552" N

LONGITUDE: 81:14'36.48376" W

SCALE FACTOR: 0.999948165

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0177 / RED

DESCRIPTION: C.M. IS 600'± N.E. OF SLAVIA RD. AND 60'± S.W. PINEMIRE DR. IN CENTER OF GRASS MEDIAN OF RED BUG LAKE RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0178 / TEX

DESIGNATION NUMBER: 409420178

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1568276.016

COORDINATES EAST: 569263.188

NAVD 88 ELEV: 56.087

SECTION 24 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:38'51.57505" N

LONGITUDE: 81:16'15.40648" W

SCALE FACTOR: 0.999949832

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0178 / TEX

DESCRIPTION: C.M. IS 600'± W. OF TUSKAWILLA RD. ON RED BUG LAKE RD. IN GRASS MEDIAN ACROSS FROM SHELL GAS STATION.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0179/ DODD

DESIGNATION NUMBER: 409420179

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1568259.710

COORDINATES EAST: 566487.626

NAVD 88 ELEV: 67.538

SECTION 24 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:38'51.35031" N

LONGITUDE: 81:16'46.55872" W

SCALE FACTOR: 0.999950394

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0179 / DODD

DESCRIPTION: C.M. IS 50'± W. OF INTER. OF RED BUG LAKE RD. AND DODD RD. IN CENTER OF GRASS MEDIAN OF RED BUG LAKE RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0180 / EAGLE

DESIGNATION NUMBER: 409410180

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1568078.224

COORDINATES EAST: 556060.417

NAVD 88 ELEV: 65.358

SECTION 21 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28: 38'49.29783" N

LONGITUDE: 81: 18'43.58717" W

SCALE FACTOR: 0.999952662

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0180 / EAGLE

DESCRIPTION: C.M. IS 80'± E. OF INTER. OF RED BUG LAKE RD. AND EAGLE CIR. IN CENTER OF GRASS MEDIAN OF RED BUG LAKE RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0181 / CORAL

DESIGNATION NUMBER: 409410181

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1568064.027

COORDINATES EAST: 552659.380

NAVD 88 ELEV: 81.797

SECTION 21 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:38'49.06783" N

LONGITUDE: 81:19'21.75931" W

SCALE FACTOR: 0.999953455

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4 X 4 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0181/ CORAL

DESCRIPTION: C.M. IS IN GRASS ISLAND AT THE INTER. OF RED BUG LAKE RD., WINTER PARK DR. AND S.R. 436.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0182 / SPORTS

DESIGNATION NUMBER: 409460182

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1589573.476

COORDINATES EAST: 569534.298

NAVD 88 ELEV: 47.138

SECTION 36 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:42'22.44770" N

LONGITUDE: 81:16'12.90462" W

SCALE FACTOR: 0.999949778

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0182 / SPORTS

DESCRIPTION: C.M. IS 100'± N. OF S.R. 434 AND 65'± W. OF ENT. OF CENTRAL WINDS PARK.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0183 / FARM RESET
DESIGNATION NUMBER: 409460183
DATUM: NAD 83 / 90 ADJ.
ZONE: FLORIDA EAST
COORDINATES NORTH: 1589254.183
COORDINATES EAST: 566980.99
NAVD 88 ELEV: 22.606

SECTION 36 , TOWNSHIP 20 SOUTH, RANGE 30 EAST
COUNTY, STATE: SEMINOLE COUNTY, FLORIDA
ESTABLISHED DATE: MAY 2006
LATITUDE: 28:42'19.22827" N
LONGITUDE: 81:16'41.57031" W
SCALE FACTOR: 0.999950292
PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0183 / FARM RESET

DESCRIPTION: C.M. IS 18' N. OF S.R. 434 AND .20 MI. E. OF WINDING HOLLOW BLVD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0184 /. RED DOG

DESIGNATION NUMBER: 409640184

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1583711.249

COORDINATES EAST: 583552.151

NAVD 88 ELEV: 37.773

SECTION 5 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:41'24.69466" N

LONGITUDE: 81:13'35.35653" W

SCALE FACTOR: 0.999947220

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0184 / RED DOG.

DESCRIPTION: C.M. IS 300'± E. OF S.R. 417 AND CENTER OF MEDIAN OF S.R. 434

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0185 / LED ZEPPLIN RESET

DESIGNATION NUMBER: 408120117

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1583742.468

COORDINATES EAST: 581150.306

NAVD 88 ELEV. 37.582

SECTION 5 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 2006

LATITUDE: 28°41'24.95789"N

LONGITUDE: 81°14'02.32631"W

SCALE FACTOR: 0.999947626

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0185 / LED ZEPPLIN RESET

DESCRIPTION: C.M. IS 0.2 MI.± E. OF SPRING AVE. ON THE NORTH SIDE OF S.R. 434. AND 7.6' S. OF SURVEY SIGN POST. C.M. IS ALSO 1.0' S. OF CONC. SIDEWALK AND IN LINE WITH THE PROJECTED C/L OF VISTAWILLA DR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0186 / DR. HOOK

DESIGNATION NUMBER: 409660186

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1560449.178

COORDINATES EAST: 579350.755

NAVD 88 ELEV. 51.185

SECTION 32 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:37'34.29403" N

LONGITUDE: 81:14'22.00833" W

SCALE FACTOR: 0.999947939

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0186 / DR. HOOK

DESCRIPTION: C.M. IS 0.3 MI. E. OF S.R. 426 ON ALOMA WOODS BLVD., 12.4' N. OF ALOMA WOODS BLVD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0192 / VALERIE

DESIGNATION NUMBER: 426350192

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1570794.309

COORDINATES EAST: 544931.250

NAVD 88 ELEV: 91.189

SECTION 18 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28: 39'15.88599" N

LONGITUDE: 81: 20'48.58703" W

SCALE FACTOR: 0.999955357

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0192 / VALERIE

DESCRIPTION: C.M. IS 150'± N. OF SOUTH ST. AND 13' W. OF E/P OF U.S. 17-92.

SKETCH:



△ G.P.S. 0193

SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0193 / COMFORT

SECTION 19 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 426350193

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 1995

ZONE: FLORIDA EAST

LATITUDE: 28:38'59.24371" N

COORDINATES NORTH: 1569116.625

LONGITUDE: 81:21'00.79971" W

COORDINATES EAST: 543838.301

SCALE FACTOR: 0.999955637

NAVD 88 ELEV: 96.392

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0193 / COMFORT

DESCRIPTION: C.M. IS 500'± N. OF O'BRIEN RD. AND 25' E. OF E/P OF U.S. 17-92.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0194 / DIKE

DESIGNATION NUMBER: 426290194

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1560239.839

COORDINATES EAST: 561450.285

NAVD 88 ELEV: 83.383

SECTION 35 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:37'31.82514" N

LONGITUDE: 81:17'42.87500" W

SCALE FACTOR: 0.999951458

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0194 / DIKE

DESCRIPTION: C.M. IS 240'± S. OF WHISPERING WAY AND 17.3' W. OF C/L OF DIKE RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0195 / EASTBROOK RESET

SECTION 35 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 426290195

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 1995

ZONE: FLORIDA EAST

LATITUDE: 28:37'09.29722" N

COORDINATES NORTH: 1557964.300

LONGITUDE: 81:17'41.72165" W

COORDINATES EAST: 561547.454

SCALE FACTOR: 0.999951437

NAVD 88 ELEV. 86.958

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0195 / EASTBROOK RESET

DESCRIPTION: C.M. IS 51'± N. OF BROOKSIDE TR. AND 21'± E. OF THE C/L TANGERINE AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0202 / ZACKARIAH

DESIGNATION NUMBER: 426280202

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1576436.800

COORDINATES EAST: 585385.504

NAVD 88 ELEV: 57.321

SECTION 16 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:40'12.70398" N

LONGITUDE: 81:13'14.61973" W

SCALE FACTOR: 0.999946918

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0202 / ZACKARIAH

DESCRIPTION: C.M. IS 67'± E. OF PINE AVE. AND 26.5'± S. OF C.R. 426

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0203 / DANA RAE RESET

SECTION 16 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

DESIGNATION NUMBER: 426280203

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 1995

ZONE: FLORIDA EAST

LATITUDE: 28:40'12.64154" N

COORDINATES NORTH: 1576427.347

LONGITUDE: 81:12'55.27525" W

COORDINATES EAST: 587108.617

SCALE FACTOR: 0.999946642

NAVD 88 ELEV: 65.116

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0203 / DANA RAE RESET

DESCRIPTION: C.M. IS 495'± W. OF TOMOKA DR. AND 25'± S. OF C.R. 426

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0210 / VALLY

DESIGNATION NUMBER: 426400210

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1591544.561

COORDINATES EAST: 613847.090

NAVD 88 ELEV: 43.652

SECTION 32 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:42'42.70331" N

LONGITUDE: 81:07'55.28630" W

SCALE FACTOR: 0.999943229

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OFMONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0210 / VALLEY

DESCRIPTION: C.M. IS 41'± S. OF VALLEY STREAM DR. AND 17.7' E. OF THE C/L PINE HILL BLVD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0211 / MENACE

SECTION 32 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

DESIGNATION NUMBER: 426400211

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 1995

ZONE: FLORIDA EAST

LATITUDE: 28:42'10.13749" N

COORDINATES NORTH: 1588255.413

LONGITUDE: 81:07'55.00858" W

COORDINATES EAST: 613868.180

SCALE FACTOR: 0.999943227

NAVD 88 ELEV: 36.944

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. BRASS DISK STAMPED G.P.S. 0211 / MENACE

DESCRIPTION: C.M. IS 0.3 MI. ± S.W. OF SEMINOLE WOODS BLVD. AND 19.8' N. OF C.R. 426

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0212 / CHRISTMAS

DESIGNATION NUMBER: 426240212

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1557513.854

COORDINATES EAST: 621915.882

NAVD 88 ELEV: 60.508

SECTION 34 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28: 37'05.84085" N

LONGITUDE: 81: 06'24.32517" W

SCALE FACTOR: 0.999942521

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0212 / CHRISTMAS

DESCRIPTION: C.M. IS 1045'± S.E. OF SULTAN CIR. AND 22.5' N.E. OF FT. CHRISTMAS RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0213 / FORT

DESIGNATION NUMBER: 426240213

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1559318.768

COORDINATES EAST: 619864.733

NAVD 88 ELEV: 64.729

SECTION 34 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:37'23.69299" N

LONGITUDE: 81:06'47.36006" W

SCALE FACTOR: 0.999942687

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0213 / FORT

DESCRIPTION: C.M. IS 1760'± S. OF LAKE MILLS RD. AND 29.5' W. OF FORT CHRISTMAS RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0215 / PARTIN

DESIGNATION NUMBER: 426230215

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1569551.374

COORDINATES EAST: 606521.204

NAVD 88 ELEV: 49.434

SECTION 19 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28: 39'04.85961" N

LONGITUDE: 81: 09'17.24199" W

SCALE FACTOR: 0.999944001

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0215 / PARTIN

DESCRIPTION: C.M. IS 623'± E. OF MOST EASTERN ENT. OF TWIN RIVERS BLVD. AND 24.5' S. OF THE C/L OF THE E. BOUND LANE OF CR 419.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0216 / LEIGH RESET

DESIGNATION NUMBER: 426250216

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1565233.657

COORDINATES EAST: 600378.868

NAVD 88 ELEV: 45.148

SECTION 21 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 2006

LATITUDE: 28°38'22.02568"N

LONGITUDE: 81°10'26.11544"W

SCALE FACTOR: 0.999944743

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0216 / LEIGH RESET

DESCRIPTION: C.M. IS ON LOCKWOOD RD. IN GRASS MEDIAN 120'± S. OF E. RIVIERA BLVD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0217 / NICOLE RESET

SECTION 24 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

DESIGNATION NUMBER: 426250217

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: MARCH 2006

ZONE: FLORIDA EAST

LATITUDE: 28°38'42.06227"N

COORDINATES NORTH: 1567258.680

LONGITUDE: 81°10'36.52172"W

COORDINATES EAST: 599454.645

SCALE FACTOR: 0.999944863

NAVD 88 ELEV: 31.220

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5"x 5" CONC. MOM. WITH BRASS DISK STAMPED GPS 0217/NICOLE RESET.

DESCRIPTION: C.M. IS 637'± N. OF THE C/L OF KELLY CREEK CIR. AND 61± W. OF THE C/L OF LOCKWOOD RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0218 / OKIE

DESIGNATION NUMBER: 426200218

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1587060.261

COORDINATES EAST: 598434.361

NAVD 88 ELEV: 9.669

SECTION 35 , TOWNSHIP 20 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°41'58.10439"N

LONGITUDE: 81°10'48.30824"W

SCALE FACTOR: 0.999944996

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0218 / OKIE

DESCRIPTION: C.M. IS 50'± W. OF OKLAHOMA ST. AND 17.5' N. OF HOWARD AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0219 / STONE

SECTION 36 , TOWNSHIP 20 SOUTH, RANGE 31 EAST

DESIGNATION NUMBER: 426220219

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 1995

ZONE: FLORIDA EAST

LATITUDE: 28:41'57.32736" N

COORDINATES NORTH: 1586977.794

LONGITUDE: 81:10'17.92506" W

COORDINATES EAST: 601139.897

SCALE FACTOR: 0.999944647

NAVD 88 ELEV: 12.651

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0219 / STONE

DESCRIPTION: C.M. IS 15' E. OF STONE ST. AND 10' N. HOWARD AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0220 / HOLDER RESET

DESIGNATION NUMBER: 426210220

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1613784.920

COORDINATES EAST: 626014.972

NAVD 88 ELEV: 20.018

SECTION 11 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:46'23.01975" N

LONGITUDE: 81:05'38.82770" W

SCALE FACTOR: 0.999942218

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0220 / HOLDER RESET

DESCRIPTION: C.M. IS 18' S. OF THE S. E/P OSCEOLA RD. AND 30' W. OF THE C/L HOLDER LANE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0221 / POWER

DESIGNATION NUMBER: 426210221

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1613312.028

COORDINATES EAST: 623774.489

NAVD 88 ELEV: 22.563

SECTION 10 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:46'18.31947" N

LONGITUDE: 81:06'04.00044" W

SCALE FACTOR: 0.999942379

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0221 / POWER

DESCRIPTION: C.M. IS 24.1' N. OF C/L OSCEOLA RD. AND 340'± W. OF FLINT TR. AT POWER LINE'S

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0223 / CALVIN

DESIGNATION NUMBER: 426260223

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1579277.312

COORDINATES EAST: 572136.162

NAVD 88 ELEV: 58.687

SECTION 7 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:40'40.56282" N

LONGITUDE: 81:15'43.43134" W

SCALE FACTOR: 0.999949269

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0223 / CALVIN

DESCRIPTION: C.M. IS 224'± N. OF CHEETAH TR. AND 42.5' N.W. OF NORTHERN WAY AT POWER LINE EASEMENT

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0224 / HOBBES

DESIGNATION NUMBER: 426260224

DATUM: NAD 83 / ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1580450.641

COORDINATES EAST: 570460.654

NAVD 88 ELEV: 50.770

SECTION 12 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28: 40'52.14320" N

LONGITUDE: 81: 16'02.27201" W

SCALE FACTOR: 0.999949595

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0224 / HOBBES

DESCRIPTION: C.M. IS 640'± N. OF ARBOR GLEN CIR. AND 38' E. OF TUSKAWILLA RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0233 / DUNMAR

SECTION 11 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 426270233

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 8390 ADJ.

ESTABLISHED DATE: APRIL 1995

ZONE: FLORIDA EAST

LATITUDE: 28:40'26.93605" N

COORDINATES NORTH: 1577918.694

LONGITUDE: 81:17'09.88072" W

COORDINATES EAST: 564432.869

SCALE FACTOR: 0.999950821

NAVD 88 ELEV: 62.564

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF CMONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0233 / DUNMAR

DESCRIPTION: C.M. IS 0.3 MI. N. OF LAKE DR., 23'E. OF BIRD RD. AND 45'± S. OF CONC. RD. INTO DUNMAR ESTATES.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0241 / GPS 10 ALT. SPRINGS

DESIGNATION NUMBER: 409730241

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1565687.491

COORDINATES EAST: 532208.435

NAVD 88 ELEV: 118.640

SECTION 23 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28: 38'24.93709" N

LONGITUDE: 81: 23'11.20925" W

SCALE FACTOR: 0.999958787

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 9" ROUND C.M. WITH BRASS DISK STAMPED G.P.S. 10

DESCRIPTION: C.M. IS 26' S. OF C/L ORANOLE RD. AND 75'± W. OF WYMORE RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0242 / MAGIC

DESIGNATION NUMBER: 409730242

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1563693.125

COORDINATES EAST: 532326.676

NAVD 88 ELEV: 93.091

SECTION 27 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28: 38'05.19473" N

LONGITUDE: 81: 23'09.80995" W

SCALE FACTOR: 0.999958753

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0242 / MAGIC

DESCRIPTION: C.M. IS 30.4' E. OF WYMORE RD. AND 0.4 MI. ± S. OF ORANOLE RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0243 / SWEETWATER

DESIGNATION NUMBER: 409790243

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1590876.103

COORDINATES EAST: 509185.008

NAVD 88 ELEV: 70.879

SECTION 31 , TOWNSHIP 20 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:42'33.51951" N

LONGITUDE: 81:27'30.68529" W

SCALE FACTOR: 0.999965936

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0243 / SWEETWATER

DESCRIPTION: C.M. IS 0.2 MI. ± W. OF RIVERVIEW DR. AND 15'S. OF WEKIVA SPRINGS RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0244 / WEKIVA

DESIGNATION NUMBER: 409790244

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1590878.841

COORDINATES EAST: 511580.462

NAVD 88 ELEV: 62.979

SECTION 31 , TOWNSHIP 20 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:42'33.63705" N

LONGITUDE: 81:27'03.78383" W

SCALE FACTOR: 0.999965136

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0244 / WEKIVA

DESCRIPTION: C.M. IS 0.3 MI.± W. OF HUNT CULB BLVD. AND 20' N. OF WEKIVA SPRINGS RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0245 / "DAJA" RESET

DESIGNATION NUMBER: 426100245

DATUM: NAD 83

ZONE: FLORIDA EAST

COORDINATES NORTH: 1565581.710

COORDINATES EAST: 522958.600

NAVD 88 ELEV: 91.831

SECTION 21 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 2006

LATITUDE: 28°38'23.58264"N

LONGITUDE: 81°24'55.01581"W

SCALE FACTOR: 0.999961513

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0245 / DAJA RESET

DESCRIPTION: C.M. IS S. OF MAITLAND BLVD. AND IN CENTER OF GRASS MEDIAN OF S.R. 434

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0246 / HILLVIEW

DESIGNATION NUMBER: 426100246

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1568230.472

COORDINATES EAST: 523003.427

NAVD 88 ELEV: 92.164

SECTION 21 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28: 38'49.80936" N

LONGITUDE: 81: 24'54.61597" W

SCALE FACTOR: 0.999961500

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0246 / HILLVIEW DR.

DESCRIPTION: C.M. IS 45'± S. OF THE EXTENDED C/L OF HILLVIEW DR. IN GRASS MEDIAN OF S.R. 434 12' NE. OF STORM DRAIN AND 10' E. OF SIGN MARKER.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0247 / POST OFFICE

DESIGNATION NUMBER: 426110247

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1587594.446

COORDINATES EAST: 522392.478

NAVD 88 ELEV. 58.848

SECTION 33 , TOWNSHIP 20 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:42'01.50851" N

LONGITUDE: 81:25'02.23258" W

SCALE FACTOR: 0.999961686

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0247 / POST OFFICE

DESCRIPTION: C.M. IS 0.5 MI. ± N. OF LAKE BRANTLEY DR. IN CENTER OF MEDIAN OF WEKIVA SPRINGS RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0248 /THE BEATLES RESET

DESIGNATION NUMBER: 426110248

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1585174.329

COORDINATES EAST: 524336.17

NAVD 88 ELEV. 48.572

SECTION 4 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 2006

LATITUDE: 28:41'37.61412" N

LONGITUDE: 81:24'40.31248" W

SCALE FACTOR: 0.999961095

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0248 / THE BEATLES RESET

DESCRIPTION: C.M. IS IN CENTER OF MEDIAN 450'± S. OF SABAL PALM DR. AND 250'± S. OF THE ENTRANCE TO REGIONS BANK, S. OF LAKE BRANTLEY DR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0249 / BIG WIN

SECTION 6 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 426160249

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: MAY 1994

ZONE: FLORIDA EAST

LATITUDE: 28: 41'52.38426" N

COORDINATES NORTH: 1586613.990

LONGITUDE: 81: 21'39.41149" W

COORDINATES EAST: 540451.099

SCALE FACTOR: 0.999956523

NAVD 88 ELEV: 88.279

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0249 / BIG WIN

DESCRIPTION: C.M. IS 300'± E. OF RANGELINE RD. IN CENTER OF GRASS MEDIAN OF S.R. 434

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0250 / DOC

DESIGNATION NUMBER: 426160250

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1586578.198

COORDINATES EAST: 542495.874

NAVD 88 ELEV: 86.737

SECTION 6 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:41'52.09059" N

LONGITUDE: 81:21'16.44915" W

SCALE FACTOR: 0.999955985

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0250 / DOC

DESCRIPTION: C.M. IS 300'± W. OF FL. CENTRAL PKWY. IN CENTER OF GRASS MEDIAN OF S.R. 434

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0251 / KIDS

DESIGNATION NUMBER: 426150251

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1586568.974

COORDINATES EAST: 555749.375

NAVD 88 ELEV: 63.398

SECTION 3 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:41'52.36647" N

LONGITUDE: 81:18'47.62262" W

SCALE FACTOR: 0.999952733

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0251 / KIDS

DESCRIPTION: C.M. IS 21'± S. OF S.R. 434 AND 33'± E. OF SHEOAH BLVD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0253 / SAND

DESIGNATION NUMBER: 426390253

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1580223.387

COORDINATES EAST: 512015.697

NAVD 88 ELEV: 120.650

SECTION 7 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:40'48.15582" N

LONGITUDE: 81:26'58.44519" W

SCALE FACTOR: 0.999964992

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0253 / SAND

DESCRIPTION: C.M. IS 110'± E. OF THE C/L HUNTCLUB BLVD. AND 30.6' S. OF THE C/L SAND LAKE RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0254 / FOREST

DESIGNATION NUMBER: 426360255

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1580251.396

COORDINATES EAST: 514274.131

NAVD 88 ELEV: 68.414

SECTION 15 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:40'48.51667" N

LONGITUDE: 81:26'33.09057" W

SCALE FACTOR: 0.999964251

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0254 / FOREST

DESCRIPTION: C.M. IS 34.3' W. OF FOREST PARK CT. AND 21.7' N. OF SAND LAKE RD.

SKETCH:



△ G.P.S. 0253

SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0258 / LAFF

DESIGNATION NUMBER: 426170258

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1597710.146

COORDINATES EAST: 553030.023

NAVD 88 ELEV: 26.851

SECTION 21 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:43'42.60269" N

LONGITUDE: 81:19'18.49642" W

SCALE FACTOR: 0.999953367

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0258 / LAFF

DESCRIPTION: C.M. IS 300'± N. OF C.R. 427 AND 40'± E. OF COUNTRY CULB RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0259 / RATZ

DESIGNATION NUMBER: 426170259

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1599035.379

COORDINATES EAST: 553021.293

NAVD 88 ELEV: 39.495

SECTION 21 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:43'55.72345" N

LONGITUDE: 81:19'18.63467" W

SCALE FACTOR: 0.999953370

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0259 / RATZ

DESCRIPTION: C.M. IS 0.25 MI. ± N. OF C.R. 427 AND 14.7' W. OF THE E/P COUNTRY CLUB RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0260 / HARLEY

DESIGNATION NUMBER: 409780260

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1607824.517

COORDINATES EAST: 539965.466

NAVD 88 ELEV: 75.381

SECTION 18 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:45'22.37209" N

LONGITUDE: 81:21'45.58936" W

SCALE FACTOR: 0.999956652

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0260 / HARLEY

DESCRIPTION: C.M. IS CENTER OF GRASS MEDIAN OF LAKE MARY BLVD. AND 84.5' E. OF I-4 BRIDGE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0261 / DAVIDSON

DESIGNATION NUMBER: 409800261

DATUM: NAD 83 /; 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1607782.660

COORDINATES EAST: 542838.233

NAVD 88 ELEV: 49.403

SECTION 18 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:45'22.04322" N

LONGITUDE: 81:21'13.31123" W

SCALE FACTOR: 0.999955896

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0261 / DAVIDSON

DESCRIPTION: C.M. IS CENTER OF GRASS MEDIAN OF LAKE MARY BLVD. AND 330'± E. OF LAKE MARY CENTER.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0262 / ALMA

DESIGNATION NUMBER: 426040262

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1610156.206

COORDINATES EAST: 553002.908

NAVD 88 ELEV: 59.985

SECTION 9 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:45'45.82882" N

LONGITUDE: 81:19'19.17883" W

SCALE FACTOR: 0.999953374

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0262 / ALMA

DESCRIPTION: C.M. IS 34' N OF C/L OF ALMA AVE. AND 20.9' E. OF E/P OF COUNTRY CLUB RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0263 / 3 DOG NIGHT

DESIGNATION NUMBER: 426050263

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1629119.083

COORDINATES EAST: 529808.584

NAVD 88 ELEV: 51.589

SECTION 27 , TOWNSHIP 19 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:48'52.88435" N

LONGITUDE: 81:23'40.49923" W

SCALE FACTOR: 0.999959475

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0263 / 3 DOG NIGHT

DESCRIPTION: C.M. IS 0.3 MI. ± E. OF ROSS LAKE LANE AND 22'± N. OF S.R. 46.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0264

DESIGNATION NUMBER: 426040264

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1607151.721

COORDINATES EAST: 552973.336

NAVD 88 ELEV: 51.208

SECTION 16 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:45'16.08107" N

LONGITUDE: 81:19'19.41981" W

SCALE FACTOR: 0.999953381

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 4" ROUND CONC. MON. WITH IRON REBAR

DESCRIPTION: C.M. IS 6' W. OF COUNTRY CLUB RD. AND 30'± S. OF SCHOOL'S S. PROP. LINE

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0265

DESIGNATION NUMBER: 426050265

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1629160.325

COORDINATES EAST: 527582.248

NAVD 88 ELEV: 54.907

SECTION 27 , TOWNSHIP 19 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:48'53.21887" N

LONGITUDE: 81:24'05.52844" W

SCALE FACTOR: 0.999960125

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: FOUND 5 X 5 CONC. MON. WITH BRASS DISK RLS #19

DESCRIPTION: C.M. IS 0.25 MI. E. OF LONGWOOD MARKHAM RD. AND 52'± N. OF S.R. 46

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0266 / TANYA TUCKER

DESIGNATION NUMBER: 426060266

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1621176.580

COORDINATES EAST: 526237.966

NAVD 88 ELEV: 58.830

SECTION 34 , TOWNSHIP 19 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:47'34.12905" N

LONGITUDE: 81:24'20.33420" W

SCALE FACTOR: 0.999960524

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK WITH STAMPED G.P.S. 0266 / TANYA TUCKER

DESCRIPTION: C.M. IS 10'± W. OF INT. OF MARKHAM RD. AND LONGWOOD MARKHAM RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0267 / MARSHALL TUCKER

DESIGNATION NUMBER: 426060267

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1621172.370

COORDINATES EAST: 528880.698

NAVD 88 ELEV: 55.272

SECTION 34 , TOWNSHIP 19 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28: 47'34.17569" N

LONGITUDE: 81: 23'50.63164" W

SCALE FACTOR: 0.999959745

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0267 / MARSHALL TUCKER

DESCRIPTION: C.M. IS 0.5 MI. ± E. OF INT. OF LONGWOOD MARKHAM RD. AND MARKHAM RD. AND 66' N OF MARKHAM RD. IN OLD R.R. R/W.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0268 / WILSON

DESIGNATION NUMBER: 426070268

DATUM: NAD 83

ZONE: FLORIDA EAST

COORDINATES NORTH: 1624114.888

COORDINATES EAST: 539943.246

NAVD 88 ELEV: 81.976

SECTION 30 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:48'03.65883" N

LONGITUDE: 81:21'46.39710" W

SCALE FACTOR: 0.999956657

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0268 / WILSON

DESCRIPTION: C.M. IS 50'± N. OF WILSON RD. AND 27'± E. OF ORANGE BLVD. (C-431)

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0269 / WAYSIDE

DESIGNATION NUMBER: 426070269

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1626661.561

COORDINATES EAST: 539931.842

NAVD 88 ELEV: 72.233

SECTION 30 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:48'28.87245" N

LONGITUDE: 81:21'46.61265" W

SCALE FACTOR: 0.999956660

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0269 / WAYSIDE

DESCRIPTION: C.M. IS 60'± S. OF WAYSIDE RD. AND 21'± E. OF ORANGE BLVD. (C-431)

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0270 / SMITH CANAL

DESIGNATION NUMBER: 426080270

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1626497.616

COORDINATES EAST: 552828.548

NAVD 88 ELEV: 29.636

SECTION 28 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:48'27.61741" N

LONGITUDE: 81:19'21.63591" W

SCALE FACTOR: 0.999953415

PARTY CHIEF NAME: D.MARTRIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0270 / SMITH CANAL

DESCRIPTION: C.M. IS 0.25 MI. ± S. OF S.R. 46 AND 5.5' E. OF UPSALA RD., S. OF THE CANAL.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0271 / GARTH BROOKS

DESIGNATION NUMBER: 426080271

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1623587.605

COORDINATES EAST: 552823.450

NAVD 88 ELEV: 50.956

SECTION 33 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:47'58.80588" N

LONGITUDE: 81:19'21.60445" W

SCALE FACTOR: 0.999953416

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0271 / GARTH BROOKS

DESCRIPTION: C.M. IS 0.8 MI. ± S. OF S.R. 46, IN GRASS ISLAND AT THE C/L P.I. OF CURVE IN UPSALA RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0274 / JENO

DESIGNATION NUMBER: 426380274

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1618929.765

COORDINATES EAST: 539902.873

NAVD 88 ELEV. 67.718

SECTION 36 , TOWNSHIP 19 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:47'12.32096" N

LONGITUDE: 81:21'46.67306" W

SCALE FACTOR: 0.999956668

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0274 / JENO

DESCRIPTION: C.M. IS 149'± N. OF C.R. 46A AND 23' W. OF C.R. 431

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0275 / BANANA

SECTION 6 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 426380275

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 1995

ZONE: FLORIDA EAST

LATITUDE: 28: 46'56.91417" N

COORDINATES NORTH: 1617373.524

LONGITUDE: 81: 21'46.17271" W

COORDINATES EAST: 539942.648

SCALE FACTOR: 0.999956658

NAVD 88 ELEV: 69.244

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0275 / BANANA

DESCRIPTION: C.M. IS 0.3 MI. ± S. OF C.R. 46A AND 14.5' E. OF BANANA LAKE RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0278 / KMART

DESIGNATION NUMBER: 426330278

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1612076.715

COORDINATES EAST: 566061.953

NAVD 88 ELEV: 45.610

SECTION 11 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:46'05.17107" N

LONGITUDE: 81:16'52.49603" W

SCALE FACTOR: 0.999950481

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0278 / KMART

DESCRIPTION: C.M. IS 430'± S.W. OF AIRPORT BLVD. AND 185'± N.E. OF S. ENTRANCE OF STICKS & STUFF , AND 19.8' E. OF S. E/P OF U.S. 17–92.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0279 / SONNYS

DESIGNATION NUMBER: 426330279

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1610092.679

COORDINATES EAST: 564956.416

CONVERGENCE: 46.052

SECTION 11 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:45'45.50135" N

LONGITUDE: 81:17'04.86539" W

SCALE FACTOR: 0.999950711

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0279 / SONNYS

DESCRIPTION: C.M. IS ON THE W. SIDE OF U.S. 17–92 AT INT. OF AMERICANA BLVD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0280 / CELERY

DESIGNATION NUMBER: 426300280

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1624104.455

COORDINATES EAST: 576853.371

NAVD 88 ELEV: 17.336

SECTION 32 , TOWNSHIP 19 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28:48'04.49357" N

LONGITUDE: 81:14'51.51642" W

SCALE FACTOR: 0.999948386

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0280 / CELERY

DESCRIPTION: C.M. IS 210'± E. OF MISSIONS BLVD. AND 25' S. OF CELERY AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0288 / GOOSE RESET

SECTION 16 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 451690288

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: OCT 2001

ZONE: FLORIDA EAST

LATITUDE: 28°49'55.10847"N

COORDINATES NORTH: 1635332.359

LONGITUDE: 81°19'13.36453"W

COORDINATES EAST: 553588.187

SCALE FACTOR: 0.999953236

NAVD 88 ELEV. 11.656

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0288"GOOSE" RESET

DESCRIPTION: C.M. IS LOCATED ± 55' EAST OF CONC. MEDIAN CL C.R. 15 AND 80'± SOUTH OF CONC. MEDIAN OF U.S. 17–92

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0289 / GRIMM

SECTION 16 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 461100289

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: OCT 2001

ZONE: FLORIDA EAST

LATITUDE: 28°49'46.68463"N

COORDINATES NORTH: 1634474.650

LONGITUDE: 81°18'44.27933"W

COORDINATES EAST: 556172.757

SCALE FACTOR: 0.999952636

NAVD 88 ELEV. 9.234

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0289"GRIMM"

DESCRIPTION: C.M. IS LOCATED ON 17–92, 0.5 MI ± E. OF CL C.R. 15 @ U.S. 17–92, ± 20' NORTH OF NORTH E/P U.S 17–92

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0290 / MUDDY RESET

DESIGNATION NUMBER: 461020290

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1631549.977

COORDINATES EAST: 562476.454

NAVD 88 ELEV. 6.775

SECTION 24 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°49'17.88695"N

LONGITUDE: 81°17'33.32368"W

SCALE FACTOR: 0.999951236

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0290 " MUDDY " RESET

DESCRIPTION: C.M. IS 19'± N. OF THE N. E/P US 1792 .

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0292 / SUN LAKE RESET

SECTION 19 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 451030292

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: MAY 2006

ZONE: FLORIDA EAST

LATITUDE: 28°44'24.52734N

COORDINATES NORTH: 1601978.215

LONGITUDE: 81°21'30.96416W

COORDINATES EAST: 541249.573

SCALE FACTOR: 0.999956311

NAVD 88 ELVE. 67.272

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0292 "SUN LAKE" RESET

DESCRIPTION: C.M. IS 1.1 MILE ± S. OF LAKE MARY BLVD. ON LAKE EMMA RD, 16' EAST OF THE EAST E/P OF LAKE EMMA RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0293 / EMMA OAKS RESET

SECTION 19 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 528120293

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: MAY 2006

ZONE: FLORIDA EAST

LATITUDE: 28°43'56.11837N

COORDINATES NORTH: 1599109.075

LONGITUDE: 81°21'31.63932W

COORDINATES EAST: 541180.833

SCALE FACTOR: 0.999956330

NAVD 88 ELEV. 58.285

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED RESET G.P.S. 0293 "EMMA OAK" RESET

DESCRIPTION: C.M. IS 180'± NORTH OF EMMA OAKS TRAIL AND 300' ± SOUTH OF THE GREENWAY BLVD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0294/ AERO

SECTION 26 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 461040294

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: OCT 2001

ZONE: FLORIDA EAST

LATITUDE: 28°48'40.05861"N

COORDINATES NORTH: 1627743.606

LONGITUDE: 81°18'36.91743"W

COORDINATES EAST: 556809.965

SCALE FACTOR: 0.999952490

NAVD 88 ELEV. 26.842

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0294 "AERO"

DESCRIPTION: C.M. IS 0.7 MI. ± W. OF AIRPORT BLVD. 80' ± S. OF CL. S.R. 46. 50' ± E. OF CL AERO LN.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0295 / METRO

SECTION 26 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 461040295

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: OCT 2001

ZONE: FLORIDA EAST

LATITUDE: 28°48'41.70741"N

COORDINATES NORTH: 1627900.128

LONGITUDE: 81°17'52.93885"W

COORDINATES EAST: 560722.569

SCALE FACTOR: 0.999951617

NAVD 88 ELEV. 24.601

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0295 "METRO"

DESCRIPTION: COR. IS 107' ± N. OF CL S.R. 46, 10' ± W. OF EXTENDED CL. AIRPORT BLVD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0296 / PLAZA RESET

SECTION 28 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 516050296

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: OCT 2001

ZONE: FLORIDA EAST

LATITUDE: 28°48'42.63321"N

COORDINATES NORTH: 1628021.556

LONGITUDE: 81°19'51.57942"W

COORDINATES EAST: 550169.005

SCALE FACTOR: 0.999954053

NAVD 88 ELEV. 29.324

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED RESET G.P.S. 0296 "PLAZA"

DESCRIPTION: C.M. IS IN THE N.E. CORNER OF INT. OF S.R. 46 AND RINEHART RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0297 / ROOKIE RESET

DESIGNATION NUMBER: 528150297

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1624818.018

COORDINATES EAST: 550126.926

NAVD 88 ELEV. 36.144

SECTION 28 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°48'10.91455"N

LONGITUDE: 81°19'51.95218"W

SCALE FACTOR: 0.999954063

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED RESET G.P.S. 0297 "ROOKIE"

DESCRIPTION: COR. IS .6 MI. ± S. OF STATE RD. 46 AND .10 MI SOUTH OF ST. JOHNS PKWY. CM. IS LOCATED IN GRASS MEDIAN.

SKETCH:

SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0298 / C.S. LEE

SECTION 32 , TOWNSHIP 20 SOUTH, RANGE 33 EAST

DESIGNATION NUMBER: 461060298

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: OCT 2001

ZONE: FLORIDA EAST

LATITUDE: 28°42'52.04384N

COORDINATES NORTH: 1592466.362

LONGITUDE: 81°02'13.15385W

COORDINATES EAST: 644310.922

SCALE FACTOR: 0.999941338

NAVD 88 ELEV: 10.956

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0298 "C.S. LEE"

DESCRIPTION: COR. IS LOCATED WEST ON S.R. 46/ VOLUSIA COUNTY LINE (ST. JOHNS RIVER). GO WEST ON S.R. 46, 0.10 MI. TO COR,± 33' N. OF CL. S.R. 46 AND C.S. LEE PARK.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0299 / PREVATT

SECTION 32 , TOWNSHIP 20 SOUTH, RANGE 33 EAST

DESIGNATION NUMBER: 461060299

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: OCT 2001

ZONE: FLORIDA EAST

LATITUDE: 28°42'56.69709"N

COORDINATES NORTH: 1592937.717

LONGITUDE: 81°02'56.20970"W

COORDINATES EAST: 640477.510

SCALE FACTOR: 0.999941459

NAVD 88 ELEV: 8.831

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0299 "PREVATT"

DESCRIPTION: COR. IS LOCATED ON S.R. 46, 0.75 MI.± WEST OF THE VOLUSIA/SEMINOLE COUNTY LINE (ST. JOHNS RIVER). 20' SOUTH OF CL SR 46 AND 50' E. OF THE EXTENDED C/L PREVATT RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0300 / TOMCAT

DESIGNATION NUMBER: 461070300

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1615980.338

COORDINATES EAST: 574160.067

NAVD 88 ELEV: 56.841

SECTION 06 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°46'44.00131N

LONGITUDE: 81°15'21.59361W

SCALE FACTOR: 0.999948884

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0300 "TOMCAT"

DESCRIPTION: COR. IS LOCATED 53'± E. OF CL. MELLONVILLE AVE AND 120' ± S. OF CL. 26TH PL.,

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0301 / FALCON

DESIGNATION NUMBER: 461070301

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1613248.585

COORDINATES EAST: 574084.335

NAVD 88 ELEV: 55.937

SECTION 6 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 2006

LATITUDE: 28°46'16.95292N

LONGITUDE: 81°15'22.37860W

SCALE FACTOR: 0.999948898

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0301 "FALCON"

DESCRIPTION: COR. IS LOCATED 49'± N. OF CL. AIRPORT BLVD. AND 43± W. OF CL. MELLONVILLE AVE.

SKETCH:





SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0302 / GORDON

SECTION 6 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 461080302

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: OCT 2001

ZONE: FLORIDA EAST

LATITUDE: 28°38'30.63582"N

COORDINATES NORTH: 1566076.323

LONGITUDE: 81°06'02.99373"W

COORDINATES EAST: 623824.147

SCALE FACTOR: 0.999942375

NAVD 88 ELEV: 62.973

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0302 "GORDON"

DESCRIPTION: COR. IS LOCATED (FROM INT. OF BRUMLEY RD AND LAKE MILLS RD) 60' SOUTH ON LK. MILLS RD. 0.4MI± TO COR..

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0303 / LABONTE

SECTION 6 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 461080303

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: OCT 2001

ZONE: FLORIDA EAST

LATITUDE: 28°38"01.15928"N

COORDINATES NORTH: 1563099.251

LONGITUDE: 81°06'03.02401"W

COORDINATES EAST: 623818.938

SCALE FACTOR: 0.999942376

NAVD 88 ELEV: 50.217

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0303 "LABONTE"

DESCRIPTION: COR. IS LOCATED (FROM INT. OF BRUMLEY RD AND LAKE MILLS RD), GO SOUTH ON LK. MILLS RD. 0.9 MI ± TO COR, AND 300' S. OF THE BRIDGE

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0304 / DALLAS

DESIGNATION NUMBER: 461090304

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1578766.561

COORDINATES EAST: 579034.847

NAVD 88 ELEV. 25.191

SECTION 16 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°40'35.64963"N

LONGITUDE: 81°14'25.96712"W

SCALE FACTOR: 0.999947995

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0304 "DALLAS"

DESCRIPTION: COR. IS LOCATED, (FROM INT. OF CR-426 & WINTER SPRINGS BLVD) , WEST ON WINTER SPRINGS BLVD. 1.3 MI ± TO COR 37'±, N. OF CL. WINTER SPRINGS BLVD. AT P.C. OF CURVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0305 / DENVER

DESIGNATION NUMBER: 461090305

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1579446.912

COORDINATES EAST: 576263.852

NAVD 88 ELEV. 20.851

SECTION 16 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°40'42.32954"N

LONGITUDE: 81°14'57.09308"W

SCALE FACTOR: 0.999948494

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0305 "DENVER"

DESCRIPTION: COR. IS LOCATED, (FROM INT. OF CR-426 & WINTER SPRINGS BLVD) , WEST ON WINTER SPRINGS BLVD. 1.8 MI ± TO COR IN CL. MEDIAN @ BULLNOSE CURB.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0306 / TROUT

DESIGNATION NUMBER: 46100306

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1574743.937

COORDINATES EAST: 577043.791

NAVD 88 ELEV: 44.443

SECTION 16 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°39'55.78121"N

LONGITUDE: 81°14'48.22744"W

SCALE FACTOR: 0.999948351

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0306 "TROUT"

DESCRIPTION: COR. IS LOCATED, (FROM INT. OF CR-426 & WINTER SPRINGS BLVD) , WEST ON WINTER SPRINGS BLVD. 0.5 MI ± TO NORTHERN WAY, THEN SOUTH ON NORTHERN WAY 0.8 MI±. TO COR. 25' ± N. OF CL.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0307 / SNOOK

DESIGNATION NUMBER: 461100307

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1574671.608

COORDINATES EAST: 574438.061

NAVD 88 ELEV: 55.078

SECTION 16 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°39"55.01091"N

LONGITUDE: 81°15'17.47721"W

SCALE FACTOR: 0.999948832

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0307 "SNOOK"

DESCRIPTION: COR. IS LOCATED, (FROM INT. OF CR-426 & WINTER SPRINGS BLVD) , WEST ON WINTER SPRINGS BLVD. 0.5 MI ± TO NORTHERN WAY, THEN SOUTH ON NORTHERN WAY 1.3 MI±. TO COR. 25' ± N. OF CL.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0308 / FLOUNDER

SECTION 34 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 461110308

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: OCT 2001

ZONE: FLORIDA EAST

LATITUDE: 28°37'07.08231"N

COORDINATES NORTH: 1557755.294

LONGITUDE: 81°18'46.62663"W

COORDINATES EAST: 555762.593

SCALE FACTOR: 0.999952730

NAVD 88 ELEV: 84.884

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0308 "FLOUNDER"

DESCRIPTION: COR. IS LOCATED 80' ± SOUTH OF WINTERWOOD DR. & 77' ± WEST OF CL. SR. 436

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0309 / CROAKER

DESIGNATION NUMBER: 461110309

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1555305.187

COORDINATES EAST: 556772.056

NAVD 88 ELEV: 84.337

SECTION 34 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°36'42.84964"N

LONGITUDE: 81°18'35.22846"W

SCALE FACTOR: 0.999952499

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0309 "CROAKER"

DESCRIPTION: COR. IS LOCATED 45' ± NORTH OF CL. CASSELTON DR. AND 90' ± WEST OF CL. SR-436

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0310 / "SHAW" RESET

DESIGNATION NUMBER: 461110310

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1561704.218

COORDINATES EAST: 573446.845

NAVD 88 ELEV. 50.415

SECTION 34 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°37'46.59877N

LONGITUDE: 81°15'28.29032W

SCALE FACTOR: 0.999949019

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED RESET G.P.S. 0310 "SHAW"

DESCRIPTION: COR. IS 19' ± S. OF INT. BROOKS LN. AND GABRIELLA LN.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0311 / HETZEL

DESIGNATION NUMBER: 461120311

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1561706.136

COORDINATES EAST: 570806.535

NAVD 88 ELEV: 69.915

SECTION 25 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°37"46.56048N

LONGITUDE: 81°15'57.91994W

SCALE FACTOR: 0.999949527

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0311 "HETZEL"

DESCRIPTION: COR. IS 20' ± N OF THE C/L GABRIELLA LN. & 60'± E. OF C/L TUSKAWILLA RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0312 / MISTY

DESIGNATION NUMBER: 461150312

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1598278.860

COORDINATES EAST: 532893.526

NAVD 88 ELEV. 51.284

SECTION 23 , TOWNSHIP 20 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 2006

LATITUDE: 28°43'47.64266N

LONGITUDE: 81°23'04.69913W

SCALE FACTOR: 0.999958593

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0312 "MISTY"

DESCRIPTION: COR. IS 500' ± N. OF INT. MARKHAM WOODS RD. AND MISTY MORN PL. 30'± W. OF CL. MARKHAM WOODS RD., OR 500' ± SOUTH OF SPANISH ONE TERR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0313 / HUNTER

SECTION 23 , TOWNSHIP 20 SOUTH, RANGE 29 EAST

DESIGNATION NUMBER: 461140313

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: MAY 2006

ZONE: FLORIDA EAST

LATITUDE: 28°44'04.60775N

COORDINATES NORTH: 1599989.281

LONGITUDE: 81°22'53.99336W

COORDINATES EAST: 533852.104

SCALE FACTOR: 0.999958323

NAVD 88 ELEV. 56.878

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0313 "HUNTER"

DESCRIPTION: COR. IS 300' ± S. OF INT. OLD POST RD. AND MARKHAM WOODS RD. 35' ± E. OF CL. MARKHAM WOODS RD., 390' ± NORTH OF INT. HUNTERS TR. AND MARKHAM WOODS RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0314 / NORTHLAND

DESIGNATION NUMBER: 461160314

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1581888.556

COORDINATES EAST: 548142.271

NAVD 88 ELEV. 72.336

SECTION 5 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°41'05.82074"N

LONGITUDE: 81°20'12.89603"W

SCALE FACTOR: 0.999954550

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0314 "NORTHLAND"

DESCRIPTION: COR. IS 0.5 MI ± E. OF CR. 427 AND 50' N. OF CL. DOGTRACK RD .

SKETCH:



G.P.S.
0315
"LUCKY"

SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0315 / LUCKY

DESIGNATION NUMBER: 461160315

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1581813.846

COORDINATES EAST: 545678.076

NAVD 88 ELEV. 84.142

SECTION 5 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°41'05.01139"N

LONGITUDE: 81°20'40.56114"W

SCALE FACTOR: 0.999955168

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0315 "LUCKY"

DESCRIPTION: COR. IS 400' ± E. OF CR-427, 60' ± S. OF CL. DOGTRACK RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0316 / CRAIG

DESIGNATION NUMBER: 461170316

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1572617.954

COORDINATES EAST: 513781.693

NAVD 88 ELEV: 119.317

SECTION 20 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 2006

LATITUDE: 28°39'32.92106"N

LONGITUDE: 81°26'38.30065"W

SCALE FACTOR: 0.999964412

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0316 "CRAIG"

DESCRIPTION: COR. IS 32' ± W. OF CL. BEARLAKE RD. 18' ± S. OF CL. CRAIG DR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0317 / BEAR

SECTION 20 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

DESIGNATION NUMBER: 461170317

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°39'07.32032"N

COORDINATES NORTH: 1570031.908

LONGITUDE: 81°26'37.17227"W

COORDINATES EAST: 513872.614

SCALE FACTOR: 0.999964382

NAVD 88 ELEV: 110.180

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0317 "BEAR"

DESCRIPTION: COR. IS 37'± E. OF CL. BEAR LAKE RD., 295' ± S. OF CL. BUNNELL RD .

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0318 / SPRINT

SECTION 7 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

DESIGNATION NUMBER: 461100318

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°40'09.52280"N

COORDINATES NORTH: 1576333.842

LONGITUDE: 81°27'35.00698"W

COORDINATES EAST: 508744.166

SCALE FACTOR: 0.999966085

NAVD 88 ELEV: 96.176

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0318 "SPRINT"

DESCRIPTION: FROM THE INT. S.R. 436 AND BALMY BEACH DR. GO SOUTH ON BALMY BEACH DR. 0.5 MI ± TO E. ENT SPRINT. GO WEST 0.2 MI ± TO COR. 50' ± SOUTH OF RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0319 / JEANETTE

DESIGNATION NUMBER: 4610319

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1580252.644

COORDINATES EAST: 508812.175

NAVD 88 ELEV: 125.69

SECTION 20 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 2006

LATITUDE: 28°40'48.32472"N

LONGITUDE: 81°27'34.41283"W

SCALE FACTOR: 0.999966062

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0319 "JEANETTE"

DESCRIPTION: COR. IS LOCATED 15' EAST OF LINE DR. AND 30' S. OF SAND LAKE RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0320 / DINK

DESIGNATION NUMBER: 561110320

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1577991.298

COORDINATES EAST: 556137.685

NAVD 88 ELEV. 60.000

SECTION 9 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 2006

LATITUDE: 28°40'27.44924"N

LONGITUDE: 81°18'43.01048"W

SCALE FACTOR: 0.999952644

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0320 "DINK"

DESCRIPTION: COR. IS 12' S. OF S. E/P SEMINOLA BLVD. 417' ± W. OF THE INT. SEMINOLA BLVD. AND LAKE DR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0321 / JADE

DESIGNATION NUMBER: 516120321

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1578240.100

COORDINATES EAST: 554201.233

NAVD 88 ELEV: 64.041

SECTION 9 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 2006

LATITUDE: 28°40'29.86205"N

LONGITUDE: 81°19'04.75789"W

SCALE FACTOR: 0.999953092

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0321 "JADE"

DESCRIPTION: COR. IS 50' ± S. OF C/L SEMINOLA BLVD, 108± W. OF THE CL. WINTER PARK DR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0324/ HOBIE

SECTION 9 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 5280324

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: OCT 2001

ZONE: FLORIDA EAST

LATITUDE: 28°36'43.23792"N

COORDINATES NORTH: 1555265.208

LONGITUDE: 81°11'31.56611"W

COORDINATES EAST: 594531.079

SCALE FACTOR: 0.999945530

NAVD 88 ELEV. 57.186

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0324 "HOBIE"

DESCRIPTION: COR. IS IN MEDIAN @ INTERSECTION OF LOCKWOOD BLVD. / MCCULLOCH RD. C.M. IS 0.90 MI E. OF S.R. 434 SIGN IS 3' WEST OF MONUMENT.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0325 / MARCIA

DESIGNATION NUMBER: 528110325

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1557772.341

COORDINATES EAST: 572125.01

NAVD 88 ELEV. 79.516

SECTION 31 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: OCT 2001

LATITUDE: 28°37'07.64040"N

LONGITUDE: 81°15'43.02731"W

SCALE FACTOR: 0.999949271

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0325 "MARCIA"

DESCRIPTION: COR. IS LOCATED 180 ' ± EAST OF REGAL LN. AND 700' ± WEST OF GREENWAY OVERPASS

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 0327 / ROGO

DESIGNATION NUMBER: 528180327

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1565943.222

COORDINATES EAST: 516415.424

NAVD 88 ELEV: 93.931

SECTION 24 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 2006

LATITUDE: 28°38'26.93134"N

LONGITUDE: 81°26'08.46401"W

SCALE FACTOR: 0.999963560

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 0327 "ROGO"

DESCRIPTION: COR. IS LOCATED ON WEST SIDE EDEN PARK RD. STAMPED GPS. 0327 "ROGO". 5' W. OF THE E/P OF EDEN PARK RD. AND 214' NORTH OF S.R. 414; 270' S. OF AMERICAN ELM DR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 0497 / GIS-497

DESIGNATION NUMBER: 409750497

DATUM: NAD 83

ZONE: FLORIDA EAST

COORDINATES NORTH: 1560032.915

COORDINATES EAST: 547854.530

NAVD 88 ELEV. 75.068

SECTION 33 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28: 37'29.42021" N

LONGITUDE: 81: 20'15.43334" W

SCALE FACTOR: 0.999954622

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: ROUND CONC. MON. WITH ORANGE CO. DISK STAMPED GIS-497

DESCRIPTION: C.M. IS 150'± W. OF TEMPLE TR. AND 30'± N. OF HOWELL BRANCH RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: 497A / HEART

DESIGNATION NUMBER: 40975497A

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1560053.493

COORDINATES EAST: 551116.910

NAVD 88 ELEV. 92.748

SECTION 33 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:37'29.71377" N

LONGITUDE: 81:19'38.82541" W

SCALE FACTOR: 0.999953824

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 497A / HEART

DESCRIPTION: C.M. IS 150'± E. OF LAKEMONT AVE. AND 50'± S. OF HOWELL BRANCH RD.

SKETCH:

△ G.P.S. 0497

N.T.S.



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900–11/ASHLEY

SECTION 8 , TOWNSHIP 20 SOUTH, RANGE 31 EAST

DESIGNATION NUMBER: 900–11

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°45'36.93351N

COORDINATES NORTH: 1609197.980

LONGITUDE: 81°14'36.16889W

COORDINATES EAST: 578188.281

SCALE FACTOR: 0.999948145

NAVD 88 ELEV: 47.009

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED GPS 900–11/ASHLEY

DESCRIPTION: C.M. IS 49'± N. OF THE CENTER OF GRASS MEDIAN E. LAKE MARY BLVD. AND 130'± W. OF THE C/L OF A UNNAMED ROAD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900–12/SARAH

SECTION 7 , TOWNSHIP 20 SOUTH, RANGE 31 EAST

DESIGNATION NUMBER: 900–12

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°45'37.32296N

COORDINATES NORTH: 1609244.790

LONGITUDE: 81°15'16.34732W

COORDINATES EAST: 574612.502

SCALE FACTOR: 0.999948799

NAVD 88 ELEV: 48.807

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 x 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 900–12 SARAH.

DESCRIPTION: C.M. IS IN GRASS MEDIAN ON EAST LAKE MARY BLVD. ± 350' EAST OF THE C/L OF MELLONVILLE AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900–16 / SALLY S.

SECTION 21 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

DESIGNATION NUMBER: 900–16

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°38'55.62183"N

COORDINATES NORTH: 1568606.263

LONGITUDE: 81°07'19.95497"W

COORDINATES EAST: 616969.523

SCALE FACTOR: 0.999942937

NAVD 88 ELEVATION: 58.354

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 900–16 / SALLY S.

DESCRIPTION: C.M. IS 41' S. OF THE C/L OF SNOWHILL RD./ CHULUOTA BYPASS AND 112' E. OF THE C/L OF MAPLE TREE LN.

SKETCH:



N.T.S.



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900–17 / DON

SECTION 21 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

DESIGNATION NUMBER: 900–17

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°38'56.43938"N

COORDINATES NORTH: 1568691.442

LONGITUDE: 81°07'47.69684"W

COORDINATES EAST: 614497.989

SCALE FACTOR: 0.999943166

NAVD 88 ELEVATION: 57.721

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 900–17 / DON

DESCRIPTION: C.M. IS 46' N. OF THE C/L SNOWHILL RD. / CHULUOTA BYPASS AND 139' EAST OF THE C/L OF JACOBS TR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900-18 / EVA

SECTION 19 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

DESIGNATION NUMBER: 900-18

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°38"57.32816"N

COORDINATES NORTH: 1568787.449

LONGITUDE: 81°08'48.22574"W

COORDINATES EAST: 609105.371

SCALE FACTOR: 0.999943715

NAVD 88 ELEVATION: 50.436

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: SET 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 900-18 / EVA.

DESCRIPTION: C.M. IS IN CENTER OF GRASS MEDIAN 11' S. OF THE S. E/P WEST BOUND C.R. 419 AND 254' E. OF THE C/L OF LAKE EVA DR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900–19 / WOOD

DESIGNATION NUMBER: 900–19

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1574402.127

COORDINATES EAST: 597338.849

NAVD 88 ELEV: 54.045

SECTION 14 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 2006

LATITUDE: 28°39'52.75877"N

LONGITUDE: 81°11'00.39188"W

SCALE FACTOR: 0.999945143

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 900–19 / WOOD

DESCRIPTION: C.M. IS 31' WESTERLY OF THE C/L OF C.R. 419 AND 416' NORTHERLY OF BISHOP AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900–20 / LEGACY

SECTION 31 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

DESIGNATION NUMBER: 900–20

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°37'07.17116"N

COORDINATES NORTH: 1557717.512

LONGITUDE: 81°15'04.12269"W

COORDINATES EAST: 575592.064

SCALE FACTOR: 0.999948617

NAVD 88 ELEV. 74.073

PARTY CHIEF NAME: S.FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 900–20 / LEGACY

DESCRIPTION: C.M. IS 60' S. OF THE C/L OF GRASSS MEDIAN, ALOMA AVE. AND 70' E. OF THE C/L OF PLANTED MEDIAN, LEGACY LN.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900–21 / F.S.U.

SECTION 34 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

DESIGNATION NUMBER: 900–21

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°36'43.50780"N

COORDINATES NORTH: 1555300.888

LONGITUDE: 81°12'28.11384"W

COORDINATES EAST: 589491.319

SCALE FACTOR: 0.999946272

NAVD 88 ELEV: 66.035

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 900–21 / F.S.U.

DESCRIPTION: C.M. IS 60.5' W. OF THE CONC. MEDIAN C/L S.R. 434 AND 56.4' N. OF THE CONC. MEDIAN C/L OF McCULLOCH RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900-22 / GATORS

SECTION 34 , TOWNSHIP 21 SOUTH, RANGE 31 EAST

DESIGNATION NUMBER: 900-22

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°37'11.65384"N

COORDINATES NORTH: 1558143.542

LONGITUDE: 81°12'27.85497"W

COORDINATES EAST: 589519.326

SCALE FACTOR: 0.999946267

NAVD 88 ELEV: 46.290

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 900-22 / GATORS

DESCRIPTION: C.M. IS IN C/L OF GRASS MEDIAN ON S.R. 434 (ALAFAYA TR.) ±190' S. OF THE C/L OF THE LITTLE ECONLOCKHATCHEE RIVER AND 0.3 MI. N. OF PALM VALLY DR.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900-23 / MOSS

SECTION 34 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: DESIGNATION#

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°41'55.58616"N

COORDINATES NORTH: 1586887.975

LONGITUDE: 81°18'20.84575"W

COORDINATES EAST: 558134.761

SCALE FACTOR: 0.999952191

NAVD 88 ELEV: 49.198

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 900-23 / MOSS

DESCRIPTION: C.M. IS 35' N. OF THE C/L OF S.R. 434 AND 97' W. OF THE C/L OF MOSS RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900-4 / FORD

DESIGNATION NUMBER: 900-4

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1631961.816

COORDINATES EAST: 547478.806

NAVD 88 ELEV. 26.444

SECTION 20 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 2006

LATITUDE: 28°49'21.56964"N

LONGITUDE: 81°20'21.94753"W

SCALE FACTOR: 0.999954715

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 900-4 / FORD

DESCRIPTION: C.M. IS .8 TENTHS OF A MI. N. OF S.R. 46 AND 44.3' W. OF THE C/L OF N. OREGON ST.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900-5 / CHEVY

DESIGNATION NUMBER: 900-5

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1629631.954

COORDINATES EAST: 547544.236

NAVD 88 ELEV. 29.270

SECTION 29 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 2006

LATITUDE: 28°48'58.50412"N

LONGITUDE: 81°20'21.13717"W

SCALE FACTOR: 0.999954699

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED 900-4 / CHEVY.

DESCRIPTION: C.M. IS .39 TENTHS OF A MI. N. OF S.R. 46 AND 22.8' E. OF THE C/L OF N. OREGON ST.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900-6 / KIM

DESIGNATION NUMBER: 900-6

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1618840.047

COORDINATES EAST: 550305.809

NAVD 88 ELEV. 65.225

SECTION 32 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 2006

LATITUDE: 28°47'11.73283"N

LONGITUDE: 81°19'49.75475"W

SCALE FACTOR: 0.999954020

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED 900-6 / KIM

DESCRIPTION: C.M. IS 44.5' N. OF THE C/L OF GRASS MEDIAN C.R. 46-A AND 549' W. OF THE C/L OF OREGON AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900-7 / BILL

DESIGNATION NUMBER: 900-7

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1618794.753

COORDINATES EAST: 552435.104

NAVD 88 ELEVATION: 68.863

SECTION 33 , TOWNSHIP 19 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 2006

LATITUDE: 28°47'11.34235"N

LONGITUDE: 81°19'25.82285"W

SCALE FACTOR: 0.999953508

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 X5 CONC. MON. WITH BRASS DISK STAMPED 900-7 / BILL

DESCRIPTION: C.M. IS IN CENTER OF GRASS MEDIAN C.R. 46-A, 125' W. OF THE C/L OF LAMPLIGHTER DR. AND 87' E. OF THE ENTRANCE OF THE WEST VIEW BAPTIST CHURCH.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : 900-8 / BRIDGE

SECTION 35 , TOWNSHIP 20 SOUTH, RANGE 29 EAST

DESIGNATION NUMBER: 900-8

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 2006

ZONE: FLORIDA EAST

LATITUDE: 28°42'46.57034"N

COORDINATES NORTH: 1592104.937

LONGITUDE: 81°22'45.09437"W

COORDINATES EAST: 534619.240

SCALE FACTOR: 0.999958108

NAVD 88 ELEVATION: 93.098

PARTY CHIEF NAME: S. FOX

DESCRIPTION OF CORNER: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. 900-8 / BRIDGE

DESCRIPTION: C.M IS 180' WEST OF THE C/L OF INTERSTATE 400 AND 15.5' SOUTH OF THE SOUTH E/P E.E.WILLIAMSON RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : CHUL / CHULUOTA

SECTION 28 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

DESIGNATION NUMBER: 264-05-01

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 1995

ZONE: FLORIDA EAST

LATITUDE: 28°37'47.00919"N

COORDINATES NORTH: 1561679.000

LONGITUDE: 81°07'46.44213"W

COORDINATES EAST: 614602.175

SCALE FACTOR: 0.999943156

NAVD 88 ELEV: 54.974

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 12"X12" C.M. W/BRASS DISK "CHULUOTA 1936 & 1973"

DESCRIPTION: 12"X12" C.M. W/BRASS DISK MARKED"CHULUOTA 1936 & 1973" LOCATED AT S.E. CORNER OF INT. S.R. 419 AND LAKE MILLS RD.,45'± E. OF C/L S.R. 419

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: ECON / ECON–1

DESIGNATION NUMBER:

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1581971.443

COORDINATES EAST: 619517.815

NAVD 88 ELEV. 27.239

SECTION 4 , TOWNSHIP 21 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:41'07.97710" N

LONGITUDE: 81:06'51.49615" W

SCALE FACTOR: 0.999942716

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 6" ROUND CONC. MON. IN P.V.C. SLEEVE WITH DISK U.S. ARMY CORP. OF ENG. ECON–1 1993 JAX

DESCRIPTION: C.M. IS 250'± S. OF S. ENTRANCE TO YARBOROUGH RANCH GATE, 35'± W. OF SNOWHILL RD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : EVER / EVERGREEN #1 1960

SECTION 2 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 409-16-01

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 1995

ZONE: FLORIDA EAST

LATITUDE: 28°47'07.29833"N

COORDINATES NORTH: 1618356.282

LONGITUDE: 81°17'14.45641"W

COORDINATES EAST: 564122.781

SCALE FACTOR: 0.999950886

NAVD 88 ELEV: 50.631

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: 10 X 10 CONC. MON. WITH USC&G DISK STAMPED EVERGREEN NO. 1 1960

DESCRIPTION: C.M. IS 500'± S. OF C.R. 46A AT THE INT. OF 46A AND HARDY AVE., 50'± E. OF DIRT DRIVE, 30'± N.W. OF HEADSTONE READING "BARNEY BECK"

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: FRAN / GIS-0160 SUSAN FRANCIS-1

SECTION 36 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 40967FRAN

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: FEBRUARY 1995

ZONE: FLORIDA EAST

LATITUDE: 28:36'42.20617" N

COORDINATES NORTH: 1555203.462

LONGITUDE: 81:15'42.68463" W

COORDINATES EAST: 572149.927

SCALE FACTOR: 0.999949267

NAVD 88 ELEV: 63.531

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 10" ROUND CONC. MON. WITH ORANGE CO. DISK STAMPED GIS-0160 / SUSAN FRANCIS-1

DESCRIPTION: C.M. IS 0.5 MI. ± S. OF S.R. 426 AT DEEP LAKE RD. IN OPEN FIELD.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: GENE RESET

DESIGNATION NUMBER: 40951GENE

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1608398.893

COORDINATES EAST: 619159.294

NAVD 88 ELEV: 42.000

SECTION 10 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:45'29.63304" N

LONGITUDE: 81:06'55.80911" W

SCALE FACTOR: 0.999942746

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 12" X 12" CONC. MON. WITH BRASS DISK STAMPED GENE 1935 RESET 1960
NOTE: C.M. HAS "X" AND "PUNCH HOLE" USED "X"

DESCRIPTION: C.M. IS AT THE N.E. COR. OF OSCEOLA RD. AND LIBERTY LANE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: GPS2 / GIS-2 ALT. SPRINGS

DESIGNATION NUMBER: 40974GPS2

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1578558.291

COORDINATES EAST: 544190.955

NAVD 88 ELEV. 85.443

SECTION 7 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:40'32.73554" N

LONGITUDE: 81:20'57.15130" W

SCALE FACTOR: 0.999955547

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 9" ROUND CONC. MON. WITH BRASS DISK STAMPED GIS-2 / ALT. SPRINGS

DESCRIPTION: C.M. IS 0.1 MI.± E. OF C.R. 427 AND 35'± S. OF PLUMOSA AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: G.P.S.–6 / G.I.S.–6

DESIGNATION NUMBER: 40970GPS6

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1580118.615

COORDINATES EAST: 521771.057

NAVD 88 ELEV: 54.601

SECTION 9 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:40'47.46990" N

LONGITUDE: 81:25'08.91591" W

SCALE FACTOR: 0.999961877

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 9" ROUND CONC. MON. WITH BRASS DISK STAMPED GIS–6 ALT.SPRINGS

DESCRIPTION: C.M. IS 70'± S. OF SANDLAKE RD. AND 45'± W. OF S.R. 434

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: GPS9

DESIGNATION NUMBER: 40971GPS9

DATUM: NAD 83 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1568395.544

COORDINATES EAST: 516474.921

NAVD 88 ELEV. 103.160

SECTION 20 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28: 38'51.21366" N

LONGITUDE: 81: 26'07.89657" W

SCALE FACTOR: 0.999963541

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 9" ROUND CONC. MON. WITH BRASS DISK GPS 9 (1.5' DEEP)

DESCRIPTION: C.M. IS 300'± N. OF HAMPSHIRE PLACE CIR. AND 17.9' E. OF C/L OF EDEN PARK RD. AND 25'± S. OF R.R. TRACKS.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: MAIT

DESIGNATION NUMBER: 40977MAIT

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1577435.680

COORDINATES EAST: 536276.165

NAVD 88 ELEV 92.483

SECTION 12 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28: 40'21.38337" N

LONGITUDE: 81: 22'25.96968" W

SCALE FACTOR: 0.999957650

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 12" X 12" CONC. MON. WITH BRASS DISK STAMPED (USC&G) MAIT AZIMUTH MK NO2 1936 1985

DESCRIPTION: C.M. IS 12.2' E. OF E/P OF PALM SPRINGS DR. AND 50'± S. OF E.CENTER ST.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : REF2

DESIGNATION NUMBER: 42637REF2

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1629179.177

COORDINATES EAST: 525377.037

NAVD 88 ELEV. 59.148

SECTION 27 , TOWNSHIP 19 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: APRIL 1995

LATITUDE: 28: 48'53.33114" N

LONGITUDE: 81: 24'30.31933" W

SCALE FACTOR: 0.999960781

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: POURED CONC. MON. WITH BRASS DISK STAMPED N.G.S. REFERENCE MARK YANKEE #2 1977

DESCRIPTION: C.M. IS 892'± W. OF LONGWOOD MARKHAM RD. AND 55.3' N. OF E/P OF S.R. 46

SKETCH:



S. R. 46

LONGWOOD MARKHAM RD.

SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: V004

DESIGNATION NUMBER: 40957V004

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1590264.035

COORDINATES EAST: 619367.225

NAVD 88 ELEV. 49.843

SECTION 28 , TOWNSHIP 20 SOUTH, RANGE 32 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: MAY 1994

LATITUDE: 28:42'30.08130" N

LONGITUDE: 81:06'53.27657" W

SCALE FACTOR: 0.999942728

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: STEEL ROD IN P.V.C. CASING WITH USC&G COVER "V004"

DESCRIPTION: STEEL ROD IS 29.5' W. OF C/L OF SNOWHILL RD. AND 2659' N. OF GPS 0154 AND 148 N. OF GRACY COVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NUMBER/NAME : V016

SECTION 33 , TOWNSHIP 20 SOUTH, RANGE 30 EAST

DESIGNATION NUMBER: 408-28-01

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

DATUM: NAD 83 / 90 ADJ.

ESTABLISHED DATE: APRIL 1995

ZONE: FLORIDA EAST

LATITUDE: 28:41'59.50616N

COORDINATES NORTH: 1587302.194

LONGITUDE: 81:19'38.30060W

COORDINATES EAST: 551238.341

SCALE FACTOR: 0.999953795

NAVD 88 ELEV: 70.237

PARTY CHIEF NAME: L.WESTON

DESCRIPTION OF MONUMENT: STEEL ROD IN PVC CASING WITH USC&G COVER "V016"

DESCRIPTION: STEEL ROD IS 20'± W. OF E/P OF S.R. 17-92, 20'± N. OF FIRST DRIVE TO PARKING LOT OF SHOPPING CENTER JUST S. OF CHURCH AVE.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: ZMK2 / AZMK-2 ALT.SPRINGS

DESIGNATION NUMBER: 40974ZMK2

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1580321.611

COORDINATES EAST: 544180.561

NAVD 88 ELEV: 83.777

SECTION 7 , TOWNSHIP 21 SOUTH, RANGE 30 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:40'50.19377" N

LONGITUDE: 81:20'57.32591" W

SCALE FACTOR: 0.999955549

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 9" ROUND CONC. MON. WITH BRASS DISK STAMPED AZMK-2 / ALT. SPRINGS

DESCRIPTION: C.M. IS ON THE E. SIDE OF R.R. R/W 940'± S. OF C/L OF NORTH ST. AND R.R. AND 1100'± NORTH OF C/L OF C.R. 427 AND R.R.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: ZMK3 / THE MALL

DESIGNATION NUMBER: 40977ZMK3

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1575700.758

COORDINATES EAST: 536142.786

NAVD 88 ELEV: 75.569

SECTION 13 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:40'04.20190" N

LONGITUDE: 81:22'27.40602" W

SCALE FACTOR: 0.999957687

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED ZMK3 / THE MALL

DESCRIPTION: C.M. IS 25.1' W. OF E/P OF PALM SPRINGS DR. AND 39.4' S. OF E. MALL ENTRANCE.

SKETCH:



△ G.P.S. MAIT

N.T.S.

SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: ZMK5 / RAYMOND

DESIGNATION NUMBER: 40976ZMK5

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1584481.268

COORDINATES EAST: 532350.694

NAVD 88 ELEV: 73.005

SECTION 2 , TOWNSHIP 21 SOUTH, RANGE 29 EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28:41'31.01733" N

LONGITUDE: 81:23'10.29468" W

SCALE FACTOR: 0.999958746

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 5 X 5 CONC. MON. WITH BRASS DISK STAMPED G.P.S. ZMK5 / RAYMOND

DESCRIPTION: C.M. IS AT THE S.E. CORNER OF S.R. 434 AND RAYMOND AVE., 25.4' E. OF THE E/P RAYMOND AVE. AND 19.5'± S. OF THE E/P S.R. 434.

SKETCH:



SEMINOLE COUNTY CONTROL DATA

ENGINEERING DEPARTMENT
SURVEY SECTION

G.P.S. NAME/ NUMBER: ZMK6 / AZMK-6

DESIGNATION NUMBER: 40970ZMK6

DATUM: NAD 83 / 90 ADJ.

ZONE: FLORIDA EAST

COORDINATES NORTH: 1577230.602

COORDINATES EAST: 521827.760

NAVD 88 ELEV: 69.054

SECTION SEC , TOWNSHIP TWP SOUTH, RANGE RNG EAST

COUNTY, STATE: SEMINOLE COUNTY, FLORIDA

ESTABLISHED DATE: FEBRUARY 1995

LATITUDE: 28: 40'18.87804" N

LONGITUDE: 81: 25'08.16554" W

SCALE FACTOR: 0.999961860

PARTY CHIEF NAME: D.MARTIN

DESCRIPTION OF MONUMENT: 9" ROUND CONC. MON. WITH BRASS DISK STAMPED AZMK-6 ALT. SPRINGS

DESCRIPTION: C.M. IS 39.7' S. OF SAN SEBASTIAN PRADO. AND 40'± E. OF S.R. 434

SKETCH: